Est. 1985

FALCON

RECOMMENDED RETAIL PRICES

01 March 2013

FALCON AGRICULTURAL EQUIPMENT (PTY) LTD
Reg No. 2006/012163/07
15 Mopane Road, Merrivale, 3291, KwaZulu-Natal, South Africa | P.O. Box 170, Howick, 3290, KwaZulu-Natal, South Africa
Tel: +27 (0) 33 330 4764 | Fax: +27 (0) 33 330 2120 | info@falconequipment.co.za | www.falconequipment.co.za

2013.03.01

SLASHERS

Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
LIGHT DUTY								
A0001	F25/90 Slasher	3	0,9	10-100	165	10-25	13 900.00 *	15 846.00
A0003	F25/120 Slasher	4	1,2	10-100	224	15-35	16 200.00 *	18 468.00
MEDIUM DUTY								
A0011	F40/120 Slasher +	4	1,2	10-100	307	28-45	19 500.00	22 230.00
A0013	F40/150 Slasher +	4	1,5	10-100	413	35-50	23 700.00	27 018.00
HEAVY DUTY								
A0027	F50/120 Slasher +	4	1,2	10-100	314	35-50	25 900.00	29 526.00
A0021	F50/150 Slasher +	2	1,5	10-140	408	35-60	29 200.00	33 288.00
A0021/4	F50/150/4 Slasher +	4	1,5	10-140	437	35-60	30 200.00	34 428.00
A0023	F50/180 Slasher +	2	1,8	10-140	504	40-60	31 700.00	36 138.00
A0023/4	F50/180/4 Slasher +	4	1,8	10-140	533	40-60	33 800.00	38 532.00
A0026	F50/150RG Slasher +	4	1,5	10-140	412	35-50	31 200.00	35 568.00
A0028	F50/180RG Slasher +	4	1,8	10-140	508	40-60	34 900.00	39 786.00
A0047	F50/300 Slasher *(New)*	4	3	50-250 or 250-400	1056	50-90	95 800.00	109 212.00
EXTRA HEAVY DUTY								
A0031	F80/150 Slasher	2	1,5	10-100	456	42-80	35 300.00	40 242.00
A0031/4	F80/150/4 Slasher	4	1,5	10-140	486	42-80	36 900.00	42 066.00
A0034	F80/180 Slasher	2	1,8	10-100	513	45-80	36 200.00	41 268.00
A0034/4	F80/180/4 Slasher	4	1,8	10-140	559	45-80	37 700.00	42 978.00
A0037	F80/200 Slasher	2	2	10-100	592	48-80	38 100.00	43 434.00
A0037/4	F80/200/4 Slasher	4	2	10-140	644	48-80	39 600.00	45 144.00

***Implement excludes a slip-clutch**

HAYMAKERS®

Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
SMALL								
A0049	F40/120V Haymaker® +	4	1,2	10-140	345	35-50	22 700.00	25 878.00
INTERMEDIATE								
A0032	F80/150V Haymaker®	2	1,5	40-155	513	45-80	36 800.00	41 952.00
A0033	F80/150EV Haymaker®	2	1,5	40-155	557	45-80	37 400.00	42 636.00
A0035	F80/180V Haymaker®	2	1,8	40-155	553	45-80	38 200.00	43 548.00
A0036	F80/180EV Haymaker®	2	1,8	40-155	610	45-80	39 400.00	44 916.00
A0040	F80/200V Haymaker®	2	2	40-155	656	45-80	40 300.00	45 942.00
A0083	F80/200VH Haymaker® *(New)*	2	2	40-155	656	45-80	40 300.00	45 942.00
LARGE								
A0046	F80/350V Haymaker®	4	3,5	40-240	1298	74-96	118 800.00	135 432.00
A0082	F80/350VT Trailed Haymaker®	4	3,5	40-240	1298	min 55	122 500.00	139 650.00

MATERIAL HANDLING IMPLEMENTS

Part No	Description	Lifting Capacity (kg)	**Lifting Height (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
BALE HANDLING IMPLEMENTS							
A7111	Bale Fork	750	0	48	N/A	4 700.00	5 358.00
A7101	Bale Fork Loader with 2.7m lift	500	2,7	144	N/A	10 900.00	12 426.00
A7105	Long beam and carrier mast assembly	500	0	96	N/A	7 200.00	8 208.00
UNILOADERS®							
A7500	F750 Uniloader® with spike attachment and swivel hook	750	3,4	323	N/A	34 700.00	39 558.00
A7501	F750 Uniloader® with spike attachment, swivel hook and control valve	750	3,4	325	N/A	38 900.00	44 346.00
A7502	F1000 Uniloader® with spike attachment	1000	4,5	565	N/A	50 600.00	57 684.00
A7503	F1000 Uniloader® with spike attachment & control valve	1000	4,5	565	N/A	54 100.00	61 674.00
A7504	F1000 Uniloader® with swivel hook & cruciform	1000	4,5	555	N/A	46 400.00	52 896.00
A7505	F1000 Uniloader® with spike attachment, swivel hook and cruciform	1000	4,5	666	N/A	59 600.00	67 944.00
A7506	F1000 Uniloader® with spike attachment, swivel hook, cruciform and control valve	1000	4,5	666	N/A	63 100.00	71 934.00

****Varies depending on the tractor size**

MULCHERS

Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
FIELDMULCHER™								
A0007	F50/150FM Fieldmulcher™	4	1,5	0-100	421	45-60	32 800.00	37 392.00
A0043	F50/180FM Fieldmulcher™	4	1,8	0-100	580	52-60	35 700.00	40 698.00
A0050	F80/200FM Fieldmulcher™	4	2	0-130	720	60-80	44 300.00	50 502.00
SIDE DISCHARGE MULCHERS								
A0056	F80/150SD Side Discharge Mulcher +	6	1,5	10-130	612	45-80	49 400.00	56 316.00
A0058	F80/180SD Side Discharge Mulcher	6	1,8	10-130	680	45-80	52 400.00	59 736.00
A0070	F80/150SD Side Discharge Mulcher with paddle blades +	6	1,5	10-130	612	45-80	50 100.00	57 114.00
A0071	F80/180SD Side Discharge Mulcher with paddle blades	6	1,8	10-130	680	45-80	52 900.00	60 306.00

SPREADERS

Part No	Description	Capacity	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
ROTORSPREADER							
A0061	F3000 Rotorspreader 3.0 m³	3.0 m³	2,5-3	890	35	74 200.00	84 588.00
A0062	F4200 Rotorspreader 4.2 m³	4.2 m³	2,5-3	1120	45	90 700.00	103 398.00
LIMESPREADER							
A0064	F400 Mounted Limespreader 400 ℓ	400 ℓ	2,4	380	30-45	35 900.00	40 926.00
A0065	F500 Trailed Limespreader 500 ℓ	500 ℓ	3	480	30-45	37 900.00	43 206.00

GROUND ENGAGING

Part No	Description (Model "+" Includes Offset)	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
PLOUGHS						
G0301	2 Furrow 14" Mouldboard Plough	0,70	245	30-55	12 400.00	14 136.00
G0305	3 Furrow 14" Mouldboard Plough	1,05	360	42-55	16 900.00	19 266.00
G0310	3 Furrow 16" Mouldboard Plough	1,20	365	42-55	16 900.00	19 266.00
ROTAVATORS						
A0072	F125 Rotavator +	1,28	549	35-60	62 300.00	71 022.00
A0073	F150 Rotavator +	1,53	596	42-60	64 600.00	73 644.00
A0074	F175 Rotavator +	1,78	645	45-60	68 900.00	78 546.00
A0075	F200 Rotavator +	2,03	698	48-60	71 500.00	81 510.00
A0076	F125 Bedformer	1,28	120		15 200.00	17 328.00
A0077	F150 Bedformer	1,53	130		15 400.00	17 556.00
A0078	F175 Bedformer	1,78	140		16 200.00	18 468.00
A0079	F200 Bedformer	2,03	150		16 400.00	18 696.00
A0087	Bedformer and centre form for the F175 Rotavator *(New)*	1,78	196		18 700.00	21 318.00
A0088	Bedformer and centre form for the F200 Rotavator *(New)*	2,03	206		18 900.00	21 546.00

MOWERS

Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
ROLLERMOWERS								
A0002	F25/90RM Rollermower	3	0,9	0-100	185	10-25	15 600.00 *	17 784.00
A0004	F25/120RM Rollermower	4	1,2	0-100	238	15-25	17 900.00 *	20 406.00
A0012	F40/120RM Rollermower +	4	1,2	0-100	345	15-40	21 400.00	24 396.00
A0014	F40/150RM Rollermower +	4	1,5	0-100	472	35-40	27 300.00	31 122.00
A0022	F50/150RM Rollermower +	4	1,5	0-100	493	40-50	33 500.00	38 190.00
A0024	F50/180RM Rollermower +	4	1,8	0-100	595	40-60	37 400.00	42 636.00
GRASSMULCHER™								
A0009	F25/120GM Grassmulcher™	4	1,2	10-100	309	15-25	22 500.00 *	25 650.00
A0008	F50/120GM Grassmulcher™	4	1,2	10-100	345	35-50	28 100.00 *	32 034.00
A0010	F50/150GM Grassmulcher™	4	1,5	10-100	480	35-50	35 900.00	40 926.00
A0048	F50/180GM Grassmulcher™	4	1,8	10-100	650	40-60	39 600.00	45 144.00
BLOWERMOWER™								
A0081	F25/90BM Blowermower™	4	0,9	0-100	217	10-25	19 800.00 *	22 572.00
A0019	F50/120BM Blowermower™	4	1,2	0-100	371	25-50	31 200.00 *	35 568.00
A0025	F50/150BM Blowermower™	4	1,5	0-100	560	35-60	39 900.00	45 486.00
ROTAGANG™								
A0054	Rotagang™ incl carrier frame	12	1,75	10-50	421	25-40	68 700.00 *	78 318.00
FINISHING MOWER								
A0080	F215 Finishing Mower	16	2,15	0-60	579	35-50	97 500.00	111 150.00

***Implement excludes a slip-clutch**

2013.03.01

SLASHERS

Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
L0001	L100 Slasher	4	1	15-90	169	10-30	12 400.00 *	14 136.00
L0002	L125 Slasher	4	1,25	15-90	200	25-45	14 400.00 *	16 416.00
L0004	L150 Slasher	4	1,5	15-90	292	30-55	19 100.00	21 774.00
L0005	L180 Slasher *(New)*	2	1,8	15-90	334	30-55	22 800.00	25 992.00

*Implement excludes a slip-clutch

MOWERS

Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
L0003	L125R Rollermower	4	1,25	15-65	247	25-45	14 900.00 *	16 986.00

*Implement excludes a slip-clutch

2013.03.01

MOWERS

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
S0007	**GH180** Groundkeeper Mower Mowing and/or scarifying with debris collection. Able to collect without cutting. Immediate and even spread of cuttings by using the built-in mulcher lever. Available in a variety of working widths for carrying behind almost any type of tractor.	1,8	470	30	150 700.00	171 798.00

SPREADERS

ZA-X SPREADERS

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
S0001	**ZA-XW 502** Twin disc spreader (500 ℓ) Incl PTO shaft, hopper sieve, hydraulic independent shutter control on either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1 000 kg	10-18	194	35	58 700.00	66 918.00
S0002	**ZA-X 602** Twin disc spreader (600 ℓ) Incl PTO shaft, hopper sieve, hydraulic independent shutter control on either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1 800 kg	10-18	212	37	60 400.00	68 856.00
S0012	**ZA-X 902** Twin disc spreader (900 ℓ) Incl PTO shaft, hopper sieve, hydraulic independent shutter control on either right- or left-hand side spreading, guard tube and complete calibration kit. Max Pay Load 1800 kg	10-18	248	44	62 800.00	71 592.00

OPTIONAL EXTRAS - ZA-X

Part No	Description	Compatible Models	Mass (kg)	Recommended Retail Price Excl VAT (R)	Recommended Retail Price Incl VAT (R)
P931690	Row spreading attachment (2Row) 2 - 5m working width	ZA-XW502,ZA-X 602,902	10	6 100.00	6 954.00
P923840	Hopper extension S200 ℓ	ZA-XW502	23	4 700.00	5 358.00
P924390	Hopper extension S250 ℓ	ZA-X 602	24	5 200.00	5 928.00
P924181	Hopper extension S350 ℓ	ZA-X 902	34	5 500.00	6 270.00
P931810	Rolling device, braked	ZA-XW502,ZA-X 602,902	11	5 600.00	6 384.00

ZA-M SPREADERS

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S0023	**ZA-M 1001 Special** Twin disc spreader (1000 ℓ) Incl PTO shaft, hopper sieve, hydraulic independent shutter control on either right- or left-hand side spreading, complete calibration kit and a safety set. Max Pay Load 1 800 kg	10-16	309	45	73 000.00	83 220.00
S0024	**ZA-M 1001 Special** Twin disc spreader (1000 ℓ) Incl PTO shaft, hopper sieve, hydraulic independent shutter control on either right- or left-hand side spreading, complete calibration kit and a safety set. Max Pay Load 1 800 kg	18-24	310	45	74 100.00	84 474.00
S0025	**ZA-M 1001 Special** Twin disc spreader (1000 ℓ) Incl PTO shaft, hopper sieve, hydraulic independent shutter control on either right- or left-hand side spreading, complete calibration kit and a safety set. Max Pay Load 1 800 kg	24-36	312	45	81 200.00	92 568.00
S0026	**ZA-M 1501 Special** Twin disc spreader (1500 ℓ) ZA-M 1001 Special Spreader fitted with S500 ℓ extension, Incl PTO shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 1 800 kg	10-16	318	60	78 700.00	89 718.00
S0027	**ZA-M 1501 Special** Twin disc spreader (1500 ℓ) ZA-M 1001 Special Spreader fitted with S500 ℓ extension, Incl PTO shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 1 800 kg	18-24	319	60	79 700.00	90 858.00
S0028	**ZA-M 1501 Special** Twin disc spreader (1500 ℓ) ZA-M 1001 Special Spreader fitted with S500 ℓ extension, Incl PTO shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 1 800 kg	24-36	321	60	86 900.00	99 066.00
S0029	**ZA-M 1501** Twin disc spreader (1500 ℓ) Incl PTO Shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 3 100 kg	10-16	332	65	94 800.00	108 072.00
S0004	**ZA-M 1501** Twin disc spreader (1500 ℓ) Incl PTO Shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 3 100 kg	18-24	333	65	95 800.00	109 212.00
S0005	**ZA-M 1501** Twin disc spreader (1500 ℓ) Incl PTO Shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set and complete calibration kit. Max Pay Load 3 100 kg	24-36	335	65	102 900.00	117 306.00
S0010	**ZA-M 1501 Tronic** Twin disc spreader (1500 ℓ) Incl PTO Shaft, AMATRON 3 control system for automatic forward speed-related spread rate capabilities, variable spread rate with GPS compatibility with certain devices, rolling device (braked), hopper sieve, independent hydraulic shutter control on either right hand or left hand side, safety set and complete calibration kit. Max Pay Load 3 100 kg	18-24	465	65	135 000.00	153 900.00
S0016	**ZA-M 1501 Tronic** Twin disc spreader (1500 ℓ) Incl PTO Shaft, AMATRON 3 control system for automatic forward speed-related spread rate capabilities, variable spread rate with GPS compatibility with certain devices, rolling device (braked), hopper sieve, independent hydraulic shutter control on either right hand or left hand side, safety set and complete calibration kit. Max Pay Load 3 100 kg	24-36	467	65	142 100.00	161 994.00
S0018	**ZA-M 1501 Profis Hydro** Twin disc spreader (1500 ℓ) Electro-hydraulic drive spreader with online weigh cell and in-cab AMATRON 3 (two in one terminal) control system for automatic forward speed-related spread rate capabilities, variable spread rate with GPS compatibility with certain devices, on-line calibration, 6-section & on/off disc speed control, one-touch border or side spreading control and includes: one single-acting spool valve with pressure-free return (55 ℓ/min), hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set, mudguards, 16-tray mobile fertiliser test rig and a complete calibration kit. "GPS-Switch Ready" and function included. Max Pay Load 3 100 kg	18-24	506	65	279 000.00	318 060.00
S0030	**ZA-M 1501 Profis Hydro** Twin disc spreader (1500 ℓ) Electro-hydraulic drive spreader with online weigh cell and in-cab AMATRON 3 (two in one terminal) control system for automatic forward speed-related spread rate capabilities, variable spread rate with GPS compatibility with certain devices, on-line calibration, 6-section & on/off disc speed control, one-touch border or side spreading control and includes: one single-acting spool valve with pressure-free return (55 ℓ/min), hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set, mudguards, 16-tray mobile fertiliser test rig and a complete calibration kit. "GPS-Switch Ready" and function included. Max Pay Load 3 100 kg	24-36	508	65	286 200.00	326 268.00

OPTIONAL EXTRAS - ZA-M

Part No	Description	Compatible Models	Mass (kg)	Working Width (m)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
MOBILE TEST RIG						
P1259000	8-Tray mobile fertiliser test rig	ZA-M	20,2		P.O.R	
P934720	16-Tray mobile fertiliser test rig	ZA-M Tronic & Profis Hydro	30		P.O.R	
EXTENSIONS						
P922782	Hopper extension S500 ℓ	ZA-M - All models	27		6 200.00	7 068.00
P935040	Hopper extension L1000 ℓ	ZA-M 1501, Tronic & Profis Hydro	57		14 000.00	15 960.00
DISCS						
P927776	Spreader disc OM 10-16 m	ZA-M - All models	8	10-16	5 800.00	6 612.00
P927777	Spreader disc OM 18-24 m	ZA-M - All models	9	18-24	6 900.00	7 866.00
P927778	Spreader disc OM 24-36 m	ZA-M - All models	14	24-36	14 000.00	15 960.00
HOPPER COVERS						
P927784	Hopper cover, folding (mechanical)	ZA-M 1001 & 1501 Special, ZA-M 1501	26		P.O.R	
P927785	Hopper cover, folding (mechanical)	Only in conjunction with L1000 hopper extension	29		P.O.R	
OTHER						
P931810	Rolling device, braked	ZA-M - All models	11		5 600.00	6 384.00

ZA-M ULTRA SPREADERS

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S0035	**ZA-M 3000 ULTRA** Spreader (3000 ℓ) Incl PTO Shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set, mudguards and complete calibration kit. Max Pay Load 4 100 kg	15-24	683	112	185 100.00	211 014.00
S0031	**ZA-M 3000 ULTRA** Spreader (3000 ℓ) Incl PTO Shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set, mudguards and complete calibration kit. Max Pay Load 4 100 kg	24-48	683	112	186 100.00	212 154.00
S0033	**ZA-M 4200 ULTRA Profis Hydro** Spreader (4200 ℓ) Electro-hydraulic drive spreader with online weigh cell and in-cab AMATRON 3 (two in one terminal) control system for automatic forward speed-related spread rate capabilities, variable spread rate with GPS compatibility with certain devices, on-line calibration, 6-section & on/off disc speed control, one-touch border or side spreading control and includes: one single-acting spool valve with pressure-free return (55 ℓ/min), hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set, mudguards, 16-tray mobile fertiliser test rig, a complete calibration kit and a hydraulic hopper cover. "GPS-Switch Ready" and function included. Max Pay Load 4 100 kg	15-24	839	112	370 500.00	422 370.00
S0034	**ZA-M 4200 ULTRA Profis Hydro** Spreader (4200 ℓ) Electro-hydraulic drive spreader with online weigh cell and in-cab AMATRON 3 (two in one terminal) control system for automatic forward speed-related spread rate capabilities, variable spread rate with GPS compatibility with certain devices, on-line calibration, 6-section & on/off disc speed control, one-touch border or side spreading control and includes: one single-acting spool valve with pressure-free return (55 ℓ/min), hopper sieve, rolling device (braked), hydraulic independent shutter control on either right- or left-hand side spreading, safety set, mudguards, 16-tray mobile fertiliser test rig, a complete calibration kit and a hydraulic hopper cover. "GPS-Switch Ready" and function included. Max Pay Load 4 100 kg	24-48	839	112	371 500.00	423 510.00

OPTIONAL EXTRAS - ZA-M ULTRA

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
MOBILE TEST RIG						
P1259000	8-Tray mobile fertiliser test rig	ZA-M 3000 Ultra		20,2	P.O.R	
P934720	16-Tray mobile fertiliser test rig	ZA-M Tronic & Profis Hydro		30	P.O.R	
EXTENSIONS						
P924294	Hopper extension S600 ℓ	ZA-M 3000 Ultra		43	8 700.00	9 918.00
DISCS						
P930390	Spreading disc OM 15-24 m	ZA-M Ultra	15-24	14	14 000.00	15 960.00
P927869	Spreading disc OM 24-48 m	ZA-M Ultra	24-48	15	15 100.00	17 214.00
HOPPER COVERS						
P924297	Hopper cover, folding (mechanical)	ZA-M 3000 Ultra		31	P.O.R	

BULK SPREADERS

Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S1043	**ZG-B 5500** Spreader (5500 ℓ) 5500 ℓ Spreader, available in models: Special, Super, Drive & Ultra Hydro	10-52	±2000	60	P.O.R	
S1039	**ZG-B 8200** Spreader (8200 ℓ) 8200 ℓ Spreader, available in models: Special, Super, Drive & Ultra Hydro	10-52	±2200	75	P.O.R	

SPRAYERS

UF - MOUNTED FIELD SPRAYERS

Part No	Description	Standard Capacity (ℓ)	Tractor (kW)	Working Width (m)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S1046	**UF 901** Sprayer	1050	from 60	12-28	P.O.R	
S1047	**UF 1201** Sprayer	1350	from 65	12-28	P.O.R	
S1048	**UF 1501** Sprayer	1720	from 90	12-28	P.O.R	
S1049	**UF 1801** Sprayer	1980	from 95	12-28	P.O.R	

OPTIONAL EXTRAS - UF

Part No	Description	Capacity (ℓ)	Empty Mass (kg)	Compatible Models	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
YFT1001	**FT 1001** - In combination with the FT 1001 front tank system it increases the capacity of the UF mounted field sprayers by 1000 litres.	1000	217	All UF models	P.O.R	
	Q-Plus sprayer boom (available in 12/12.5 & 15 m)			All UF models	P.O.R	
	Super S-boom (available in 15, 16, 18, 20, 21, 21/15, 24, 27 & 28 m)			All UF models	P.O.R	
	GPS compatible & "GPS-Switch Ready"			Some UF models (Only with AMATRON 3)	P.O.R	
	Distance control			Some UF models (Only Super S-boom & AMATRON 3)	P.O.R	
	Foam markers			All UF models	P.O.R	

UG - TRAILED FIELD SPRAYERS

Part No	Description	Standard Capacity (ℓ)	Tractor (kW)	Working Width (m)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S1050	**UG 2200** Sprayer	2400	from 65	15-28	P.O.R	
S1051	**UG 3000** Sprayer	3200	from 75	15-28	P.O.R	

OPTIONAL EXTRAS - UG

Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Incl VAT (R)
	Super S-boom (available in 15, 16, 18, 20, 21, 21/15, 24, 27 & 28 m)	All UG models	P.O.R	
	GPS compatible & "GPS-Switch Ready"	Some UG models (Only with AMATRON 3)	P.O.R	
	Distance control	Some UG models (Only Super S-boom & AMATRON 3)	P.O.R	
	Drawbar steering	All UG models	P.O.R	
	Foam markers	All UG models	P.O.R	

UX - TRAILED FIELD SPRAYERS

Part No	Description	Standard Capacity (ℓ)	Tractor (kW)	Working Width (m)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S1052	**UX 3200** Sprayer	3600	from 75	15-40	P.O.R	
S1053	**UX 4200** Sprayer	4600	from 85	15-40	P.O.R	
S1054	**UX 5200** Sprayer	5600	from 95	15-40	P.O.R	
S1055	**UX 6200** Sprayer	6600	from 110	15-40	P.O.R	

OPTIONAL EXTRAS - UX

Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Incl VAT (R)
	Super L-boom (available in 24, 27, 27/15, 28, 28/15,30/15,32,33,36,39 & 40 m)	All UX models	P.O.R	
	Super S-boom (available in 15, 16, 18, 20, 21, 21/15, 24, 27 & 28 m)	All UX models	P.O.R	
	GPS compatible & "GPS-Switch Ready"	Some UX models (Only with AMATRON 3)	P.O.R	
	Distance control	Only with AMATRON 3	P.O.R	
	Drawbar or Axle Steering	All UX models	P.O.R	
	Foam markers	All UX models	P.O.R	
	Hydropneumatic suspension	Only with AMATRON 3	P.O.R	

SOIL TILLAGE

Part No	Description	Number Of Rotors / Discs	Working Width (m)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
						Excl VAT (R)	Incl VAT (R)
S0009	**Catros 4001** Discs Harrow	2 x 16	4	1300	91-181	P.O.R	
S2000	**KG 3000 SUPER** Rotary Cultivator - with oil cooler & tooth packer roller	10	3	1230	66-161	252 000.00	287 280.00
S2004	**KE 2500 SPECIAL** Rotary Harrow - with tooth packer roller	8	2,5	700	40-103	150 100.00	171 114.00
S2001	**KE 3000 SUPER** Rotary Harrow - with tooth packer roller	10	3	860	59-131	204 800.00	233 472.00
S2003	**KE 4000 SUPER** Rotary Harrow - with tooth packer roller	14	4	1120	66-131	272 800.00	310 992.00

OPTIONAL EXTRAS - SOIL TILLAGE

Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Incl VAT (R)
	Cage roller	KE / KG models & Catros	P.O.R	
	Tooth packer roller	KE / KG models & Catros	P.O.R	
	Wedge ring roller	KE / KG models & Catros	P.O.R	
	Tandem	Catros	P.O.R	
	Knife wring roller	Catros	P.O.R	

WOODS

The Attachment Experts.™

2013.03.01

SLASHERS

Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Incl VAT (R)
C0084	BW1800K 4,5 m Batwing Slasher	6	4,5	50-380	1914	60-150	P.O.R	
C0083	BW240HD 6 m Batwing Slasher	6	6	50-380	2018	80-180	P.O.R	

VOTEX®

2013.03.01

REACH MOWERS

Part No	Description	Reach Distance (m)	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Incl VAT (R)
C0050	Clipper I/30 Reach Mower Specify right or left hand execution	3,10	0,6	from 100	445	18	P.O.R	
C0051	Clipper I/35 Reach Mower Specify right or left hand execution	3,85	1	from 100	485	20	P.O.R	
C0052	Clipper I/40 Reach Mower Specify right or left hand execution	4,35	1	from 100	505	22	P.O.R	
C0053	Clipper I/45 Reach Mower Specify right or left hand execution	4,85	1	from 100	525	30	P.O.R	

SHREDDERS

Part No	Description	Flail Hammers	Working Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Incl VAT (R)
C0021	FLV-150 Shredder	12	1,5	20-120	517	22	67 900.00	77406.00
C0022	FLV-175 Shredder	14	1,75	20-120	572	26	70 600.00	80484.00
C0033	FLV-200 Shredder	16	2	20-120	627	29	73 400.00	83676.00
C0037	FLV-225 Shredder	18	2,25	20-120	690	45-65	P.O.R	

MOWERS

Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Incl VAT (R)
C0075	Super Bingo 3/260 Mower Including swinging mowing blades	6	2,58	20-150	535	28	P.O.R	
C0076	Super Bingo 3/300 Mower Including swinging mowing blades	6	2,86	20-150	570	33	P.O.R	
C0077	Super Bingo 4/345 Mower Including swinging mowing blades	8	3,43	20-150	610	37	P.O.R	

PRICES, DESCRIPTIONS & TECHNICAL DATA ARE NOT BINDING

ALL PRICES INCLUDE TRANSPORT TO THE FALCON DEALER, EXCEPT SPRAYERS, ZA-M ULTRA, ZG-B, SOIL TILLAGE AND EXPORT DEALERS