



## RECOMMENDED RETAIL PRICE

23 December 2021



### FALCON AGRICULTURAL EQUIPMENT (PTY) LTD

Reg No. 2018/410920/07

15 Mopane Road, Merrivale, 3291, KwaZulu-Natal, South Africa | P.O. Box 170, Howick, 3290, KwaZulu-Natal, South Africa  
Tel: +27 (0) 33 330 4764 | [info@falconequipment.co.za](mailto:info@falconequipment.co.za) | [www.falconequipment.co.za](http://www.falconequipment.co.za)



SLASHERS									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
<b>LIGHT DUTY</b>									
A0001	F25/90 Slasher	3	0,9	10-100	165	10-25	29 200.00 *	33 580.00	
A0003	F25/120 Slasher	4	1,2	10-100	224	15-35	33 200.00 *	38 180.00	
<b>MEDIUM DUTY</b>									
A0011	F40/120 Slasher	+	4	1,2	307	28-45	40 100.00	46 115.00	
A0013	F40/150 Slasher	+	4	1,5	413	35-50	44 700.00	51 405.00	
<b>HEAVY DUTY</b>									
A0027	F50/120 Slasher	+	4	1,2	314	35-60	49 200.00	56 580.00	
A0021	F50/150 Slasher	+	2	1,5	408	35-60	54 200.00	62 330.00	
A0021/4	F50/150/4 Slasher	+	4	1,5	437	35-60	55 400.00	63 710.00	
A0023	F50/180 Slasher	+	2	1,8	504	40-60	59 400.00	68 310.00	
A0023/4	F50/180/4 Slasher	+	4	1,8	533	40-60	61 200.00	70 380.00	
A0026	F50/150RG Slasher	+	4	1,5	412	35-50	55 400.00	63 710.00	
A0028	F50/180RG Slasher	+	4	1,8	508	40-60	62 600.00	71 990.00	
A0095	F60/300 Slasher		2 x 2	3,0	1 153	60-90	187 300.00	215 395.00	
A0096	F60/300T Trailed Slasher		2 x 2	3,0	1 153	35-90	234 500.00	269 675.00	
A0086	F60/450 Flexwing Slasher		3 x 2	4,5	2 100	50-150	423 600.00	487 140.00	
<b>EXTRA HEAVY DUTY</b>									
A0031	F80/150 Slasher		2	1,5	456	42-80	67 300.00	77 395.00	
A0031/4	F80/150/4 Slasher		4	1,5	486	42-80	70 100.00	80 615.00	
A0034	F80/180 Slasher		2	1,8	513	45-80	69 400.00	79 810.00	
A0034/4	F80/180/4 Slasher		4	1,8	559	45-80	72 300.00	83 145.00	
A0037	F80/200 Slasher		2	2,0	592	48-80	74 000.00	85 100.00	
A0037/4	F80/200/4 Slasher		4	2,0	644	48-80	76 300.00	87 745.00	

\* Implement excludes a slip-clutch

HAYMAKERS®									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
<b>SMALL</b>									
A0049	F40/120V Haymaker®	+	4	1,2	345	35-50	41 500.00	47 725.00	
<b>INTERMEDIATE</b>									
A0032	F80/150V Haymaker®		2	1,5	513	45-80	70 800.00	81 420.00	
A0033	F80/150EV Haymaker®		2	1,5	557	45-80	72 000.00	82 800.00	
A0035	F80/180V Haymaker®		2	1,8	553	45-80	73 800.00	84 870.00	
A0036	F80/180EV Haymaker®		2	1,8	610	45-80	75 500.00	86 825.00	
A0040	F80/200V Haymaker®		2	2,0	656	45-80	76 600.00	88 090.00	
A0083	F80/200VH Haymaker®		2	2,0	656	45-80	76 200.00	87 630.00	
<b>LARGE</b>									
A0098	F60/350V Haymaker®		2 x 2	3,5	1 298	74-96	224 600.00	258 290.00	
A0099	F60/350VT Trailed Haymaker®		2 x 2	3,5	1 350	min 55	280 200.00	322 230.00	

MATERIAL HANDLING IMPLEMENTS									
Part No	Description	Lifting Capacity (kg)	** Lifting Height (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price			
						Excl VAT (R)	Inc VAT (R)		
<b>BALE HANDLING IMPLEMENTS</b>									
A7111	Bale Fork	750	-	48	-	7 900.00	9 085.00		
A7101	Bale Fork Loader with 2.7m lift	500	2,7	144	-	20 400.00	23 460.00		
A7105	Long beam and carrier mast assembly	500	-	96	-	13 800.00	15 870.00		
<b>UNILOADERS®</b>									
A7500	F750 Uniloader® with spike attachment and swivel hook	750	3,4	323	-	63 500.00	73 025.00		
A7501	F750 Uniloader® with spike attachment, swivel hook and control valve	750	3,4	325	-	73 100.00	84 065.00		
A7502	F1000 Uniloader® with spike attachment	1 000	4,5	566	-	90 000.00	103 500.00		
A7503	F1000 Uniloader® with spike attachment & control valve	1 000	4,5	578	-	100 500.00	115 575.00		
A7504	F1000 Uniloader® with swivel hook & cruciform	1 000	4,5	555	-	79 500.00	91 425.00		
A7505	F1000 Uniloader® with spike attachment, swivel hook and cruciform	1 000	4,5	666	-	102 000.00	117 300.00		
A7506	F1000 Uniloader® with spike attachment, swivel hook, cruciform and control valve	1 000	4,5	678	-	112 100.00	128 915.00		

\*\* Varies depending on the tractor size

MULCHERS									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
<b>FIELDMULCHER™</b>									
A0007	F50/150FM Fieldmulcher™	4	1,5	0–100	421	45–60	59 500.00	68 425.00	
A0043	F50/180FM Fieldmulcher™	4	1,8	0–100	580	52–60	66 500.00	76 475.00	
A0050	F80/200FM Fieldmulcher™	4	2,0	0–130	720	60–80	83 400.00	95 910.00	
<b>SIDE DISCHARGE MULCHERS</b>									
A0056	F80/150SD Side Discharge Mulcher	+	6	1,5	10–130	612	45–80	99 300.00	114 195.00
A0058	F80/180SD Side Discharge Mulcher		6	1,8	10–130	680	45–80	100 300.00	115 345.00
A0070	F80/150SD Side Discharge Mulcher with paddle blades	+	6	1,5	10–130	615	45–80	99 500.00	114 425.00
A0071	F80/180SD Side Discharge Mulcher with paddle blades		6	1,8	10–130	683	45–80	100 500.00	115 575.00
<b>SPREADERS</b>									
Part No	Description	Capacity	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price			
						Excl VAT (R)	Inc VAT (R)		
<b>ROTORSREADER</b>									
A0061	F3000 Rotorspreader 3.0 m³	3,0 m³	2,5–3	890	35		120 600.00	138 690.00	
A0062	F4200 Rotorspreader 4.2 m³	4,2 m³	2,5–3	1 120	45		154 800.00	178 020.00	
<b>LIMESREADER</b>									
A0064	F400 Mounted Limespreader 400 €	400 ℓ	2,4	380	30–45		70 200.00	80 730.00	
A0065	F500 Trailed Limespreader 500 €	500 ℓ	3,0	480	30–45		61 000.00	70 150.00	
<b>ROTAVATORS</b>									
Part No	Description (Model "+" Includes Offset)	Working Width (m)	Working Depth (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price			
						Excl VAT (R)	Inc VAT (R)		
<b>ROTAVATORS</b>									
A0072	F125 Rotavator	+	1,28	300	549	35–60	111 900.00	128 685.00	
A0073	F150 Rotavator	+	1,53	300	596	42–60	113 300.00	130 295.00	
A0074	F175 Rotavator	+	1,78	300	645	45–60	121 400.00	139 610.00	
A0075	F200 Rotavator	+	2,03	300	698	48–60	128 200.00	147 430.00	
<b>BEDFORMERS</b>									
A0076	F125 Bedformer		1,28	-	120	-	31 800.00	36 570.00	
A0077	F150 Bedformer		1,53	-	130	-	31 900.00	36 685.00	
A0078	F175 Bedformer		1,78	-	140	-	32 200.00	37 030.00	
A0079	F200 Bedformer		2,03	-	150	-	32 400.00	37 260.00	
A0087	Bedformer and centre form for the F175 Rotavator		1,78	-	196	-	39 400.00	45 310.00	
A0088	Bedformer and centre form for the F200 Rotavator		2,03	-	206	-	39 600.00	45 540.00	
<b>MOWERS</b>									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
<b>ROLLERMOWERS</b>									
<b>LIGHT-DUTY</b>									
A0002	F25/90RM Rollermower		3	0,9	185	10–25	32 300.00 *	37 145.00	
A0004	F25/120RM Rollermower		4	1,2	238	15–25	36 500.00 *	41 975.00	
<b>MEDIUM-DUTY</b>									
A0012	F40/120RM Rollermower	+	4	1,2	345	15–40	42 700.00	49 105.00	
A0014	F40/150RM Rollermower	+	4	1,5	472	35–40	52 500.00	60 375.00	
<b>HEAVY-DUTY</b>									
A0022	F50/150RM Rollermower	+	4	1,5	493	40–50	62 800.00	72 220.00	
A0024	F50/180RM Rollermower	+	4	1,8	595	40–60	68 100.00	78 315.00	
<b>GRASSMULCHER™</b>									
<b>LIGHT-DUTY</b>									
A0009	F25/120GM Grassmulcher™		4	1,2	309	15–25	43 200.00 *	49 680.00	
<b>MEDIUM-DUTY</b>									
A0094	F40/150GM Grassmulcher™		4	1,5	475	35–50	55 900.00	64 285.00	
<b>HEAVY-DUTY</b>									
A0048	F50/180GM Grassmulcher™		4	1,8	650	40–60	73 300.00	84 295.00	
<b>BLOWERMOWER™</b>									
<b>LIGHT-DUTY</b>									
A0081	F25/90BM Blowermower™ with grass bag		4	0,9	217	10–25	37 700.00 *	43 355.00	
A0092	F25/90BM Blowermower™ without grass bag frame		4	0,9	197	10–25	33 700.00 *	38 755.00	
<b>MEDIUM-DUTY</b>									
A0085	F40/120BM Blowermower™ with grass bag		4	1,2	359	25–50	48 300.00 *	55 545.00	
A0089	F40/120BM Blowermower™ without grass bag frame		4	1,2	338	25–50	44 000.00 *	50 600.00	
A0090	F40/150BM Blowermower™ with grass bag		4	1,5	471	25–50	58 700.00 *	67 505.00	
A0091	F40/150BM Blowermower™ without grass bag frame		4	1,5	451	25–50	54 700.00 *	62 905.00	
<b>HEAVY-DUTY</b>									
A0025	F50/150BM Blowermower™ with grass bag		4	1,5	560	35–60	72 200.00	83 030.00	
A0093	F50/150BM Blowermower™ without grass bag frame		4	1,5	540	35–60	68 100.00	78 315.00	

\* Implement excludes a slip-clutch

### SPECIALISED MOWERS

Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
<b>ROTAGANG®</b>								
A0054	Rotagang® incl carrier frame	12	1,75	10-50	421	25-40	115 200.00 *	132 480.00
<b>FINISHING MOWER</b>								
A0100	F210 TurfPro Finishing Mower	12	2,1	0-60	470	35-50	97 700.00 *	112 355.00

### FLAIL IMPLEMENTS

Part No	Description Model (Includes Hydraulic Side Shift)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
A0102	Flail Cutter F150 (roller)	42/14	1 500	0-100	615	35-50	120 600.00	138 690.00
A0103	Flail Cutter F170 (roller)	48/16	1 700	0-100	651	35-50	131 700.00	151 455.00
A0105	Flail Cutter F210 (roller)	60/20	2 100	0-100	717	40-60	149 200.00	171 580.00
A0106	Flail Cutter F230 (roller)	66/22	2 300	0-100	751	40-60	151 900.00	174 685.00
A0119	F290 Flail Mower (skids) <b>NEW</b>	84/28	2 900	0-100	835	40-60	142 200.00	163 530.00
A0120	F290 Flail Mower + Wheels <b>NEW</b>	84/28	2 900	0-100	835	40-60	164 900.00	189 635.00
A0121	F290 Flail Mower + Roller <b>NEW</b>	84/28	2 900	0-100	835	40-60	153 900.00	176 985.00



### SLASHERS

Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
L0001	L100 Slasher	4	1,0	15-90	169	10-30	31 300.00 *	35 995.00
L0002	L125 Slasher	4	1,25	15-90	200	25-45	32 900.00 *	37 835.00
L0004	L150 Slasher	4	1,5	15-90	292	30-55	41 900.00	48 185.00
L0005	L180 Slasher	2	1,8	15-90	334	30-55	44 000.00	50 600.00

\*Implement excludes a slip-clutch

### MOWERS

Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
L0003	L125R Rollermower	4	1,25	15-65	247	25-45	35 200.00 *	40 480.00

\*Implement excludes a slip-clutch



MOWERS						
Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S0007	<b>Groundkeeper SmartCut GH 1800</b> Mowing and/or scarifying with debris collection. Able to collect without cutting. Immediate and even spread of cuttings by using the built-in mulcher lever. Available in a variety of working widths for carrying behind almost any type of tractor.	1,8	470	30	322 900.00	371 335.00

SPREADERS						
ZA-X SPREADERS – Excluding Optional Extras						
Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S0001	<b>ZA-XW 503 Twin disc spreader (500 €)</b> Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. <b>Max Pay Load 1 000 kg - Cat I / II</b>	10–18	194	35	103 100.00	118 565.00
S0002	<b>ZA-X 603 Twin disc spreader (600 €)</b> Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. <b>Max Pay Load 1 000 kg - Cat II</b>	10–18	212	37	109 200.00	125 580.00
S0012	<b>ZA-X 903 Twin disc spreader (900 €)</b> Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. <b>Max Pay Load 1800 kg - Cat II</b>	10–18	248	44	113 600.00	130 640.00

ZA-X OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
P931690	Row spreading attachment (2-Row) 2 - 5m working width	ZA-XW 502, ZA-X 602, 902	2–5	10	11 800.00	13 570.00
P114064	Hopper extension S 203 200 €	ZA-XW 502	-	23	8 400.00	9 660.00
P114065	Hopper extension S 253 green s 250 €	ZA-X 602	-	24	9 700.00	11 155.00
P114066	Hopper extension S 353 s 350 €	ZA-X 902	-	34	9 900.00	11 385.00
P948320	Rolling device, braked	ZA-XW 502, ZA-X 602, 902	-	11	10 200.00	11 730.00

ZA-M SPREADERS – Excluding Optional Extras						
Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price		
				Excl VAT (R)	Inc VAT (R)	
S3001	<b>ZA-M 1002 Special Twin disc spreader (1 000 €) (Excluding Discs)</b> Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. <b>Max Pay Load 1 800 kg - Cat II</b>	301	45	121 200.00	139 380.00	
S3001-OM16	<b>ZA-M 1002 Special Twin disc spreader (1 000 €) (Including Discs OM 10-16 m)</b>	309	45	133 400.00	153 410.00	
S3001-OM24	<b>ZA-M 1002 Special Twin disc spreader (1 000 €) (Including Discs OM 18-24 m)</b>	310	45	134 700.00	154 905.00	
S3001-OM36	<b>ZA-M 1002 Special Twin disc spreader (1 000 €) (Including Discs OM 24-36 m)</b>	315	45	149 700.00	172 155.00	
S3002	<b>ZA-M 1502 Special Twin disc spreader (1 500 €) (Excluding Discs)</b> ZA-M 1002 Special Spreader fitted with S500 € extension, Incl PTO shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. <b>Max Pay Load 1 800 kg - Cat II</b>	310	60	141 800.00	163 070.00	
S3002-OM16	<b>ZA-M 1502 Special Twin disc spreader (1 500 €) (Including Discs OM 10-16 m)</b>	318	60	154 000.00	177 100.00	
S3002-OM24	<b>ZA-M 1502 Special Twin disc spreader (1 500 €) (Including Discs OM 18-24 m)</b>	319	60	155 300.00	178 595.00	
S3002-OM36	<b>ZA-M 1502 Special Twin disc spreader (1 500 €) (Including Discs OM 24-36 m)</b>	324	60	170 300.00	195 845.00	
S3003	<b>ZA-M 1502 Twin disc spreader (1 500 €) (Excluding Discs)</b> Incl PTO Shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. <b>Max Pay Load 3 100 kg - Cat II</b>	324	65	169 400.00	194 810.00	
S3003-OM16	<b>ZA-M 1502 Twin disc spreader (1 500 €) (Including Discs OM 10-16 m)</b>	332	65	181 600.00	208 840.00	
S3003-OM24	<b>ZA-M 1502 Twin disc spreader (1 500 €) (Including Discs OM 18-24 m)</b>	333	65	182 900.00	210 335.00	
S3003-OM36	<b>ZA-M 1502 Twin disc spreader (1 500 €) (Including Discs OM 24-36 m)</b>	338	65	197 900.00	227 585.00	

ZA-M OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
<b>MOBILE TEST RIG</b>						
P1259000	8-Tray mobile fertiliser test rig	ZA-M	-	20,2	10 100.00	11 615.00
<b>EXTENSIONS</b>						
P113912	Hopper extension s 500 €	ZA-M – All models	-	27	11 200.00	12 880.00
P113913	Hopper extension L 1000 €	ZA-M 150	-	57	25 300.00	29 095.00
<b>DISCS</b>						
P927776	Spreader disc OM 10–16 m	ZA-M – All models	10–16	8	12 200.00	14 030.00
P927777	Spreader disc OM 18–24 m	ZA-M – All models	18–24	9	13 500.00	15 525.00
P927778	Spreader disc OM 24–36 m (Hard Alloy Coated)	ZA-M – All models	24–36	14	28 500.00	32 775.00

ROLLING DEVICES						
P948320	Rolling device, braked	ZA-M – All models	-	11	10 200.00	11 730.00
HOPPER COVERS						
P927784	Hopper Cover Folding M, Mechanical	ZA-M 1001 & 1501 Special, ZA-M 1501	-	26	17 400.00	20 010.00
P927785	Hopper Cover Folding L, Mechanical	Only in conjunction with L1000 hopper extension	-	29	18 700.00	21 505.00
MUD GUARD						
P935081	Mud guard safety set	ZA-M 1501	-	6	P.O.R	
Boundary spreading system limiter "M"						
P935334	Boundary spreading system Limiter M Left, for self-installation	ZA-M – All models	-	24	29 800.00	34 270.00

### ZA-V SPREADERS – Excluding Optional Extras

Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S3005	<b>ZA-V 1700 Super Tronic ISOBUS (1 700 £) (Excluding Discs &amp; Terminal Package)</b> PTO driven spreader with automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 8-sections & auto on/off shutter control at the headland, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras</b>	505	70	301 200.00	346 380.00
	S3005-V1 <b>ZA-V 1700 Super Tronic ISOBUS (1 700 £) (Excluding Terminal Package, Including V1 Set 10–21 m)</b>	514.5	70	314 700.00	361 905.00
	S3005-V2 <b>ZA-V 1700 Super Tronic ISOBUS (1 700 £) (Excluding Terminal Package, Including V2 Set 18–28 m)</b>	514.9	70	323 300.00	371 795.00
	S3005-V3 <b>ZA-V 1700 Super Tronic ISOBUS (1 700 £) (Excluding Terminal Package, Including V3 Set 24–36 m)</b>	515	70	331 700.00	381 455.00
S3009	<b>ZA-V 1700 Super Profis Tronic ISOBUS (1 700 £) (Excluding Discs &amp; Terminal Package)</b> PTO driven spreader with two weight cells for automatic online calibration. Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 8-sections & auto on/off shutter control at the headland, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras</b>	565	70	324 700.00	373 405.00
	S3009-V1 <b>ZA-V 1700 Super Profis Tronic ISOBUS (1 700 £) (Excluding Terminal Package, Including V1 Set 10–21 m)</b>	574.5	70	338 200.00	388 930.00
	S3009-V2 <b>ZA-V 1700 Super Profis Tronic ISOBUS (1 700 £) (Excluding Terminal Package, Including V2 Set 18–28 m)</b>	574.9	70	346 800.00	398 820.00
	S3009-V3 <b>ZA-V 1700 Super Profis Tronic ISOBUS (1 700 £) (Excluding Terminal Package, Including V3 Set 24–36 m)</b>	575	70	355 200.00	408 480.00
S3006	<b>ZA-V 2000 Super Profis Hydro ISOBUS (2 000 £) (Excluding Discs &amp; Terminal Package)</b> Electro-hydraulic driven spreader with two weight cells for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 60 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 16-sections & auto on/off shutter control at the headland. One-touch border or side spreading control, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute as well as a mechanical hopper cover. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras</b>	634	70	466 600.00	536 590.00
	S3006-V1 <b>ZA-V 2000 Super Profis Hydro ISOBUS (2 000 £) (Excluding Terminal Package, Including V1 Set 10–21 m)</b>	643.5	70	480 100.00	552 115.00
	S3006-V2 <b>ZA-V 2000 Super Profis Hydro ISOBUS (2 000 £) (Excluding Terminal Package, Including V2 Set 18–28 m)</b>	643.9	70	488 700.00	562 005.00
	S3006-V3 <b>ZA-V 2000 Super Profis Hydro ISOBUS (2 000 £) (Excluding Terminal Package, Including V3 Set 24–36 m)</b>	644	70	497 100.00	571 665.00

### ZA-V OPTIONAL EXTRAS

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
MOBILE TEST RIG						
P934720	16-Tray mobile fertiliser test rig	ZA-V – All Models	-	30	19 900.00	22 885.00
DISCS						
P113406	V1 Spreading Vane Set 10–21 m	ZA-V – All Models	10–21	9,5	13 500.00	15 525.00
P113407	V2 Spreading Vane Set 18–28 m (Tungsten Carbide Coated)	ZA-V – All Models	18–28	9,9	22 100.00	25 415.00
P113408	V3 Spreading Vane Set 24–36 m (Tungsten Carbide Coated)	ZA-V – All Models	24–36	10	30 500.00	35 075.00
TERMINAL PACKAGE						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZA-V	-	10,5	114 300.00	131 445.00
EXTENSIONS						
P948293	Hopper Extension S 600 £	ZA-V – All Models	-	40	16 100.00	18 515.00
HOPPER COVERS						
P948575	Roll-up Hopper Cover Folding S, Mechanical	ZA-V Tronic, Profis Tronic	-	32,89	25 300.00	29 095.00
HITCH ADAPTER						
S9102	Quick-Hitch Adapter (Cat II to Cat III / IV N-Q) Allows direct attachment of a Cat II Amazone Spreader to a tractor equipped with a Cat III / IV N quick-hitch frame. Not suitable for standard 3-point type Cat III or Cat IV tractor hitches.	** All ZA-V Models	110	Cat III / IV N-Q	23 100.00	26 565.00
LIMITER						
P106612	Boundary spreading system Limiter V, left	ZA-V Tronic, Profis Tronic	-	14	33 800.00	38 870.00
LADDER						
P100645	Ladder S Supplied Loose	ZA-V – All Models	-	7	7 500.00	8 625.00

ZA-TS SPREADERS – Excluding Optional Extras					
Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
<b>NEW</b> S3011	<b>ZA-TS 2200 Super Profis Hydro ISOBUS (2 200 €) (Excluding Discs &amp; Terminal Package)</b> Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique <b>Auto-TS</b> system on the right hand-side and with manual <b>Click-TS</b> on the left-hand side, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, <b>roll-up manual hopper cover</b> as well ladders on left- and right-hand. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras</b>	735	100	599 200.00	689 080.00
S3011-TS10	<b>ZA-TS 2200 Super Profis Hydro ISOBUS (2 200 €) (Excluding Terminal Package, Including TS10 Spreading Vanes 15–24 m)</b>	745.5	100	613 400.00	705 410.00
S3011-TS20	<b>ZA-TS 2200 Super Profis Hydro ISOBUS (2 200 €) (Excluding Terminal Package, Including TS20 Spreading Vanes 21–36 m)</b>	745.5		617 500.00	710 125.00
S3011-TS30	<b>ZA-TS 2200 Super Profis Hydro ISOBUS (2 200 €) (Excluding Terminal Package, Including TS30 Spreading Vanes 24–54 m)</b>	745.5		622 600.00	715 990.00
S3007	<b>ZA-TS 3200 Super Profis Hydro ISOBUS (3 200 €) (Excluding Discs &amp; Terminal Package)</b> Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II ** Cat II / III Quick-Hitch Adapter – See Optional Extras</b>	765	112	644 100.00	740 715.00
S3007-TS10	<b>ZA-TS 3200 Super Profis Hydro ISOBUS (3 200 €) (Excluding Terminal Package, Including TS10 Spreading Vanes 15–24 m)</b>	775.5	112	658 300.00	757 045.00
S3007-TS20	<b>ZA-TS 3200 Super Profis Hydro ISOBUS (3 200 €) (Excluding Terminal Package, Including TS20 Spreading Vanes 21–36 m)</b>	775.5		662 400.00	761 760.00
S3007-TS30	<b>ZA-TS 3200 Super Profis Hydro ISOBUS (3 200 €) (Excluding Terminal Package, Including TS30 Spreading Vanes 24–54 m)</b>	775.5		667 500.00	767 625.00
S3008	<b>ZA-TS 4200 Ultra Profis Hydro ISOBUS (4 200 €) (Excluding Discs &amp; Terminal Package)</b> Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". <b>Max Pay Load 4 500 kg – Cat III / IV ** Only for tractors equipped with Quick-Hitch Adaptor</b>	820	130	718 300.00	826 045.00
S3008-TS10	<b>ZA-TS 4200 Ultra Profis Hydro ISOBUS (4 200 €) (Excluding Terminal Package, Including TS10 Spreading Vanes 15–24 m)</b>	830.5	130	732 500.00	842 375.00
S3008-TS20	<b>ZA-TS 4200 Ultra Profis Hydro ISOBUS (4 200 €) (Excluding Terminal Package, Including TS20 Spreading Vanes 21–36 m)</b>	830.5		736 600.00	847 090.00
S3008-TS30	<b>ZA-TS 4200 Ultra Profis Hydro ISOBUS (4 200 €) (Excluding Terminal Package, Including TS30 Spreading Vanes 24–54 m)</b>	830.5		741 700.00	852 955.00
S3010	<b>ZA-TS 4200 Ultra Profis Hydro HS ISOBUS (4 200 €) (Excluding Discs &amp; Terminal Package)</b> Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (45 - 80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependent, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 4 or customer's own ISOBUS terminal". This specification <b>INCLUDES</b> the factory fitted <b>ArgusTwin</b> and <b>WindControl</b> with <b>work lights</b> . <b>Max Pay Load 4 500 kg – Cat III / IV ** Only for tractors equipped with Quick-Hitch Adaptor</b>	857.5	130	884 100.00	852 955.00
S3010-TS10	<b>ZA-TS 4200 Ultra Profis Hydro HS ISOBUS (4 200 €) (Excluding Terminal Package, Including TS10 Spreading Vanes 15–24 m)</b>	868	130	898 300.00	1 033 045.00
S3010-TS20	<b>ZA-TS 4200 Ultra Profis Hydro HS ISOBUS (4 200 €) (Excluding Terminal Package, Including TS20 Spreading Vanes 21–36 m)</b>	868		902 400.00	1 037 760.00
S3010-TS30	<b>ZA-TS 4200 Ultra Profis Hydro HS ISOBUS (4 200 €) (Excluding Terminal Package, Including TS30 Spreading Vanes 24–54 m)</b>	868		907 500.00	1 043 625.00

ZA-TS OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
<b>MOBILE TEST RIG</b>						
P934720	16-Tray mobile fertiliser test rig	ZA-TS	-	30	19 900.00	22 885.00
<b>DISCS</b>						
P939290	TS10 Spreading Vanes 15–24 m (Tungsten Carbide Coated)	ZA-TS	15–24	10,5	14 200.00	16 330.00
P939310	TS20 Spreading Vanes 21–36 m (Tungsten Carbide Coated)	ZA-TS	21–36	10,5	18 300.00	21 045.00
P939320	TS30 Spreading Vanes 24–54 m (Tungsten Carbide Coated)	ZA-TS	24–54	10,5	23 400.00	26 910.00
<b>TERMINAL PACKAGE</b>						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZA-TS	-	10,5	114 300.00	131 445.00
<b>HITCH ADAPTER</b>						
S9102	Quick-Hitch Adapter (Cat II to Cat III / IV N-Q) Allows direct attachment of a Cat II Amazone Spreader to a tractor equipped with a Cat III / IV N quick-hitch frame. Not suitable for standard 3-point type Cat III or Cat IV tractor hitches.	** ZA-TS 3200	110	Cat III / IV N-Q	23 100.00	26 565.00
<b>EXTENSIONS</b> <b>NEW</b>						
P948297	Hopper Extension <b>5 800 €</b>	Only for ZA-TS 2200 SPH	-	45	19 300.00	22 195.00
<b>ARGUS TWIN</b>						
P102590	Two sided system for constant online monitoring and correction of the lateral distribution for left and right hand spreading fans.	ZA-TS	-	-	130 200.00	149 730.00
<b>WIND CONTROL</b> <b>NEW</b>						
P109375	Compensates for wind effects on the spread pattern. For ZA-TS possible in conjunction with ArgusTwin or without ArgusTwin from model 2020.	ZA-TS	-	-	115 600.00	132 940.00

ZG-TS 01 SPREADERS – Excluding Optional Extras						
Part No	Description	Compatible Models	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S1063	ZG-TS 7501 Profis Spreader (7 500 €)		15–54	60	P.O.R	
S1064	ZG-TS 10001 Profis Spreader (10 000 €)		15–54	75	P.O.R	
S1065	ZG-TS 7501 Truck Profis Spreader (7 500 €)		15–54	-	P.O.R	
S1066	ZG-TS 10001 Truck Profis Spreader (10 000 €)		15–54	-	P.O.R	
S1070	ZG-TS 7501 Profis HS Spreader (7 500 €)		15–54	60	P.O.R	
S1068	ZG-TS 10001 Profis HS Spreader (10 000 €)		15–54	75	P.O.R	
S1069	ZG-TS 7501 Truck Profis HS Spreader (7 500 €)		15–54	-	P.O.R	
S1067	ZG-TS 10001 Truck Profis HS Spreader (10 000 €)		15–54	-	P.O.R	
<b>ZG-TS 01 OPTIONAL EXTRAS</b>						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
<b>MOBILE TEST RIG</b>						
P934720	16-Tray mobile fertiliser test rig	All ISOBUS	-	30	19 900.00	22 885.00
<b>DISCS</b>						
P939290	TS10 Spreading Vanes 15–24 m (Tungsten Carbide Coated)	ZG-TS 01	15–24	10,5	14 200.00	16 330.00
P939310	TS20 Spreading Vanes 21–36 m (Tungsten Carbide Coated)	ZG-TS 01	21–36	10,5	18 300.00	21 045.00
P939320	TS30 Spreading Vanes 24–54 m (Tungsten Carbide Coated)	ZG-TS 01	24–54	10,5	23 400.00	26 910.00
<b>TERMINAL PACKAGE</b>						
P0004	ISOBUS Terminal Package AmaTron 4 (GPS Switch Pro, GPS Map & GPS Docs included)	ZG-TS 01	-	10,5	114 300.00	131 445.00
<b>ARGUS TWIN</b>						
P102590	Two sided system for constant online monitoring and correction of the lateral distribution for left and right hand spreading fans.	ZG-TS 01	-	-	130 200.00	149 730.00
<b>WIND CONTROL</b> <b>NEW</b>						
P108779	Compensates for wind effects on the spread pattern. For ZG-TS 01 possible in conjunction with ArgusTwin or without ArgusTwin from model 2020.	ZG-TS 01	-	-	115 600.00	132 940.00

ZG-B SPREADERS – Excluding Optional Extras						
Part No	Description	Compatible Models	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S1056	ZG-B 5500 Drive Spreader (5 500 €) non-ISOBUS		10–36	60	P.O.R	
S1060	ZG-B 8200 Drive Spreader (8 200 €) non-ISOBUS		10–36	75	P.O.R	
<b>ZG-B OPTIONAL EXTRAS</b>						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
<b>DISCS</b>						
P927777	Spreading disc OM 18–24 m	ZG-B Drive	18–24	13	13 500.00	15 525.00
P927778	Spreading disc OM 24–36 m (Hard Alloy Coated)	ZG-B Drive	24–36	15	28 500.00	32 775.00
P950749	Spreading Disc for Lime ZG-B Drive up to 12 m	ZG-B Drive	up to 12	20	P.O.R	
<b>LIMITER</b>						
P935411	Boundary spreading device LIMITER I.h	ZG-B Drive	-	27	29 400.00	33 810.00



SPRAYERS						
UF – MOUNTED FIELD SPRAYERS						
Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1046	UF 901 Sprayer	1 050	12–24	from 60	P.O.R	
S1047	UF 1201 Sprayer	1 350	12–24	from 65	P.O.R	
S1059	UF 1002 Sprayer	1 100	15–30	from 60	P.O.R	
S2022	UF 1302 Sprayer	1 400	15–30	from 70	P.O.R	
S2021	UF 1602 Sprayer	1 700	15–30	from 90	P.O.R	
S1058	UF 2002 Sprayer	2 125	15–30	from 95	P.O.R	
UF OPTIONAL EXTRAS						
Part No	Description	Capacity (ℓ)	Empty Mass (kg)	Compatible Models	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
YFT1001	FT 1001 – In combination with the FT 1001 front tank system it increases the capacity of the UF mounted field sprayers by 1000 litres	1 000	217	Only UF02 models	P.O.R	
FT1502	FT 1502 – In combination with the FT 1502 front tank system it increases the capacity of the UF 02 mounted field sprayers by 1500 litres	1 500	285	Only UF02 models	P.O.R	
	Q-Plus sprayer boom (available in 12/12.5 & 15 m)			All UF models	P.O.R	
	Super S2-boom (available in 15, 16, 18, 20, 21, 24, 27, 28 & 30 m)			Some UF models	P.O.R	
	Single nozzle control AmaSwitch			Only UF02 models	P.O.R	
	GPS compatible & Section control ready			Some UF models (Only with AMATRON 4 / ISOBUS)	P.O.R	
	ISOBUS			All UF models	P.O.R	
	Distance control (sonars)			UF 02 models (Only Super S2-boom, AMATRON 4 / ISOBUS)	P.O.R	
UG – TRAILED FIELD SPRAYERS						
Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1050	UG 2200 Sprayer	2 400	15–28	from 65	P.O.R	
S1051	UG 3000 Sprayer	3 200	15–28	from 75	P.O.R	
UG OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Recommended Retail Price			
			Excl VAT (R)	Inc VAT (R)		
	Super S2-boom (available in 15, 16, 18, 20, 21, 24, 27 & 28 m)	All UG models	P.O.R			
	GPS compatible & Section control ready	Some UG models (Only with AMATRON 4 / ISOBUS)	P.O.R			
	ISOBUS	All UG models	P.O.R			
	Distance control (sonars)	Some UG models (Only with AMATRON 4 / ISOBUS)	P.O.R			
	Drawbar steering	All UG models	P.O.R			
UX – TRAILED FIELD SPRAYERS						
Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1052	UX 3200 Special	3 600	21–36	from 75	P.O.R	
S1053	UX 4200 Special	4 600	21–36	from 85	P.O.R	
S2023	UX 5200 Special	5 600	21–36	from 95	P.O.R	
S1057	UX 4201 Super	4 600	21–42	from 85	P.O.R	
S2025	UX 5201 Super	5 600	21–42	from 95	P.O.R	
S2026	UX 6201 Super	6 600	21–42	from 110	P.O.R	
S2032	UX 7601 Super	8 000	21–42	from 135	P.O.R	
S2033	UX 8601 Super	9 030	21–42	from 150	P.O.R	
S2028	UX 11201 Super	12 000	21–42	from 160	P.O.R	
UX OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Recommended Retail Price			
			Excl VAT (R)	Inc VAT (R)		
	Super L-boom (available in 21, 24, 27, 28, 30, 32, 33, 36, 39, 40 & 42 m)	Some UX models	P.O.R			
	Single nozzle control AmaSwitch or AmaSelect	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R			
	GPS compatible & Section control ready	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R			
	ISOBUS	All UX models	P.O.R			
	Distance control (sonars)	Only with AMATRON 4 / ISOBUS	P.O.R			
	Drawbar or Axle Steering	Some UX models	P.O.R			
	Hydro pneumatic suspension	Some UX models (Only with AMATRON 4 / ISOBUS)	P.O.R			

SOIL TILLAGE									
DISC HARROWS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2018	<b>Catros + 2503 Special</b> Compact Disc Harrow - mounted, rigid, tandem rollers, mechanical depth adjustment, additional weight package - <b>Disc specs:</b> 510 x 5 mm scalloped	-	2 x 10	2.5	50-140	1 118	min 55	374 900.00	431 135.00
S2015	<b>Catros + 3003 Special</b> Compact Disc Harrow - mounted, rigid, tandem rollers, mechanical depth adjustment, additional weight package - <b>Disc specs:</b> 510 x 5 mm scalloped	-	2 x 12	3,0	50-140	1 348	min 66	414 900.00	477 135.00
S2016	<b>Catros + 4003 Special</b> Compact Disc Harrow - mounted, rigid, tandem rollers, mechanical depth adjustment, additional weight package - <b>Disc specs:</b> 510 x 5 mm scalloped	-	2 x 16	4,0	50-140	1 758	min 91	513 900.00	590 985.00
S2030	<b>Catros XL 4003</b> <b>NEW</b> Compact Disc Harrow - mounted, rigid, tandem rollers with new HD bearings, mechanical depth adjustment, additional weight package - <b>Disc specs:</b> 610 x 6 mm scalloped	-	2 x 16	4,0	50-160	2 064	min 118	P.O.R	
S2005	<b>Catros + 6001-2 TS</b> Compact Disc Harrow - trailed, Cat. 3 lower link hitch, hydraulic foldable, bogey axle, tandem rollers, hydraulic depth adjustment, additional weight package - <b>Disc specs:</b> 510 x 5 mm scalloped	-	2 x 24	6,0	50-140	4 830	min 130	P.O.R	
S2029	<b>Certos 6002-2TX</b> <b>NEW</b> Compact Disc Harrow - trailed, Cat. 4N lower link hitch, hydraulic foldable, internal running gear, Double U-profile rollers, hydraulic depth adjustment, additional weight package - <b>Disc specs:</b> 660 x 6 mm scalloped	-	2 x 17	6,0	70- 200	5 902	min 185	P.O.R	
ROTARY HARROWS									
Part No	Description	Number of Tines	Number of Rotors	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2004	<b>KE 2501 Special</b> Rotary Harrow - with tooth packer roller	-	8	2,5	max 200	918	40-102	P.O.R	
S2001	<b>KE 3001 Super</b> Rotary Harrow - with tooth packer roller	-	10	3,0	max 200	1 127	59-131	P.O.R	
S2003	<b>KE 4001 Super</b> Rotary Harrow - with tooth packer roller	-	14	4,0	max 200	1 308	66-131	P.O.R	
COMBINATION – TRAILED CULTIVATOR									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2014	<b>Cenius 5003-2 TX</b> Mulch cultivator - semi-trailed, Cat III, hydraulic foldable, tandem roller, single support wheels, C-Mix-3 super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, tractive force increase system (1 500kg), C-Mix 80 mm HD inversion shares	17	16	5,0	80-300	5 088	min 200	P.O.R.	
S2019	<b>Ceus -2TX</b> Compact disc harrow and tine cultivator combination - semi-trailed, Cat IV, hydraulic foldable, tandem roller, single support wheels, C-Mix super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, C-Mix 80 mm HD inversion 3-shares	10	2 x 16	4,0	80-300	6 880	min 150	P.O.R.	
S2017		15	2 x 24	6,0	80-300	8 970	min 220	P.O.R.	
PHNEUMATIC SEED DRILLS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2020	<b>GreenDrill 200-E – 5.2 Speed Controller</b> Pneumatic seed drill for catch crops and grass seed with 200 ℓ hopper, electric metering drive, electric fan drive, on board computer, 7 pin signal cable (DIN9684). Compatible with most Amazone soil tillage implements up to 4 m.	-	-	2.5 - 4	-	-	-	175 900.00	202 285.00
S2013	<b>GreenDrill 500-H – 5.2 Speed Controller</b> Pneumatic seed drill for catch crops and grass seed with 500 ℓ hopper, electric metering drive, hydraulic fan drive, on board computer, 7 pin signal cable (DIN9684). Compatible with most Amazone soil tillage implements up to 9 m. Herewith price for Catros+ 6002-TS as example.	-	-	4-9	-	-	-	275 800.00	317 170.00

S2032	<b>GreenDrill 501 ISOBUS</b> <b>NEW</b> With this new generation pneumatic seed drill catch crops and grass seed can now also be more precisely fertilised. Equipped with a 500 l hopper, electric metering drive, hydraulic fan drive and operated via any ISOBUS terminal. Compatible with most Amazone soil tillage implements up to 9 m. Herewith price for Certos 6002-2TX as example.	-	4-9	-	-	-	342 700.00	394 105.00
-------	--	---	-----	---	---	---	------------	------------

\*Price excludes installation

**SOIL TILLAGE OPTIONAL EXTRAS**

Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Inc VAT (R)
	Cutting roller for front mount <b>NEW</b>	Catros+ 2,5 - 4m, Catros XL 3 - 4m, Catros-2TX 7 - 9m		P.O.R
	Cage roller	KE models, Catros+, Cenius & Ceus		P.O.R
	Tooth packer roller	KE models, Catros+, Cenius & Ceus		P.O.R
	Wedge ring roller	KE models, Catros+, Cenius & Ceus		P.O.R
	Tandem	Catros+, Cenius & Ceus		P.O.R
	Double U roller	Catros+, Cenius & Ceus		P.O.R
	Knife ring roller	Catros+, Cenius & Ceus		P.O.R
PZP061	Radar sensor set GD with wiring harness with lift unit sensor and splitter	GreenDrill	40 400.00	46 460.00

**PRICES, DESCRIPTIONS & TECHNICAL DATA ARE NOT BINDING.****ALL PRICES INCLUDE TRANSPORT TO THE FALCON DEALER IN SOUTH AFRICA.****ALL THE ABOVE MENTIONED PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE, DUE TO STOCK AVAILABILITY AND EXCHANGE RATES.**