



## RECOMMENDED RETAIL PRICE

01 May 2019



### FALCON AGRICULTURAL EQUIPMENT (PTY) LTD

Reg No. 2006/012163/07

15 Mopane Road, Merrival, 3291, KwaZulu-Natal, South Africa | P.O. Box 170, Howick, 3290, KwaZulu-Natal, South Africa  
Tel: +27 (0) 33 330 4764 | info@falconequipment.co.za | www.falconequipment.co.za



SLASHERS									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
<b>LIGHT DUTY</b>									
A0001	F25/90 Slasher	3	0,9	10-100	165	10-25	22 900.00 *	26 335.00	
A0003	F25/120 Slasher	4	1,2	10-100	224	15-35	25 300.00 *	29 095.00	
<b>MEDIUM DUTY</b>									
A0011	F40/120 Slasher	+	4	1,2	307	28-45	29 800.00	34 270.00	
A0013	F40/150 Slasher	+	4	1,5	413	35-50	35 100.00	40 365.00	
<b>HEAVY DUTY</b>									
A0027	F50/120 Slasher	+	4	1,2	314	35-50	40 100.00	46 115.00	
A0021	F50/150 Slasher	+	2	1,5	408	35-60	43 600.00	50 140.00	
A0021/4	F50/150/4 Slasher	+	4	1,5	437	35-60	44 800.00	51 520.00	
A0023	F50/180 Slasher	+	2	1,8	504	40-60	47 600.00	54 740.00	
A0023/4	F50/180/4 Slasher	+	4	1,8	533	40-60	48 500.00	55 775.00	
A0026	F50/150RG Slasher	+	4	1,5	412	35-50	45 800.00	52 670.00	
A0028	F50/180RG Slasher	+	4	1,8	508	40-60	50 900.00	58 535.00	
A0095	F60/300 Slasher		2 x 2	3,0	1 153	60-90	152 900.00	175 835.00	
A0096	F60/300T Trailed Slasher		2 x 2	3,0	1 153	35-90	186 900.00	214 935.00	
A0086	F60/450 Flexwing Slasher		3 x 2	4,5	2 100	50-150	339 500.00	390 425.00	
<b>EXTRA HEAVY DUTY</b>									
A0031	F80/150 Slasher		2	1,5	456	42-80	53 900.00	61 985.00	
A0031/4	F80/150/4 Slasher		4	1,5	486	42-80	55 700.00	64 055.00	
A0034	F80/180 Slasher		2	1,8	513	45-80	55 400.00	63 710.00	
A0034/4	F80/180/4 Slasher		4	1,8	559	45-80	56 900.00	65 435.00	
A0037	F80/200 Slasher		2	2,0	592	48-80	59 200.00	68 080.00	
A0037/4	F80/200/4 Slasher		4	2,0	644	48-80	61 200.00	70 380.00	

\* Implement excludes a slip-clutch (Indicated next to the Excl)

HAYMAKERS®									
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
							Excl VAT (R)	Inc VAT (R)	
<b>SMALL</b>									
A0049	F40/120V Haymaker®	+	4	1,2	345	35-50	34 000.00	39 100.00	
<b>INTERMEDIATE</b>									
A0032	F80/150V Haymaker®		2	1,5	513	45-80	55 400.00	63 710.00	
A0033	F80/150EV Haymaker®		2	1,5	557	45-80	56 500.00	64 975.00	
A0035	F80/180V Haymaker®		2	1,8	553	45-80	58 500.00	67 275.00	
A0036	F80/180EV Haymaker®		2	1,8	610	45-80	59 600.00	68 540.00	
A0040	F80/200V Haymaker®		2	2,0	656	45-80	61 500.00	70 725.00	
A0083	F80/200VH Haymaker®		2	2,0	656	45-80	61 500.00	70 725.00	
<b>LARGE</b>									
A0046	F80/350V Haymaker®		2 x 2	3,5	1 298	74-96	189 900.00	218 385.00	
A0099	F60/350VT Trailed Haymaker®		2 x 2	3,5	1 350	min 55	225 900.00	259 785.00	

MATERIAL HANDLING IMPLEMENTS									
Part No	Description	Lifting Capacity (kg)	** Lifting Height (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price			
						Excl VAT (R)	Inc VAT (R)		
<b>BALE HANDLING IMPLEMENTS</b>									
A7111	Bale Fork	750	-	48	-	6 500.00	7 475.00		
A7101	Bale Fork Loader with 2.7m lift	500	2,7	144	-	15 900.00	18 285.00		
A7105	Long beam and carrier mast assembly	500	-	96	-	10 400.00	11 960.00		
<b>UNILOADERS®</b>									
A7500	F750 Uniloader® with spike attachment and swivel hook	750	3,4	323	-	51 400.00	59 110.00		
A7501	F750 Uniloader® with spike attachment, swivel hook and control valve	750	3,4	325	-	60 300.00	69 345.00		
A7502	F1000 Uniloader® with spike attachment	1 000	4,5	566	-	78 000.00	89 700.00		
A7503	F1000 Uniloader® with spike attachment & control valve	1 000	4,5	578	-	86 900.00	99 935.00		
A7504	F1000 Uniloader® with swivel hook & cruciform	1 000	4,5	555	-	69 100.00	79 465.00		
A7505	F1000 Uniloader® with spike attachment, swivel hook and cruciform	1 000	4,5	666	-	88 600.00	101 890.00		
A7506	F1000 Uniloader® with spike attachment, swivel hook, cruciform and control valve	1 000	4,5	678	-	97 400.00	112 010.00		
** Varies depending on the tractor size									
<b>JCB Q-FIT® ATTACHMENTS</b>									
A7520	Bale Fork	750	-	95	-	11 400.00	13 110.00		
A7521	Bag Handler	1 000	-	170	-	18 800.00	21 620.00		

MULCHERS								
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
<b>FIELDMULCHER™</b>								
A0007	F50/150FM Fieldmulcher™	4	1,5	0–100	421	45–60	47 700.00	54 855.00
A0043	F50/180FM Fieldmulcher™	4	1,8	0–100	580	52–60	54 800.00	63 020.00
A0050	F80/200FM Fieldmulcher™	4	2,0	0–130	720	60–80	67 800.00	77 970.00
<b>SIDE DISCHARGE MULCHERS</b>								
A0056	F80/150SD Side Discharge Mulcher +	6	1,5	10–130	612	45–80	76 000.00	87 400.00
A0058	F80/180SD Side Discharge Mulcher	6	1,8	10–130	680	45–80	79 400.00	91 310.00
A0070	F80/150SD Side Discharge Mulcher with paddle blades +	6	1,5	10–130	615	45–80	76 500.00	87 975.00
A0071	F80/180SD Side Discharge Mulcher with paddle blades	6	1,8	10–130	683	45–80	79 900.00	91 885.00

SPREADERS								
Part No	Description	Capacity	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
						Excl VAT (R)	Inc VAT (R)	
<b>ROTORSREADER</b>								
A0061	F3000 Rotorspreader 3.0 m³	3,0 m³	2,5–3	890	35	100 900.00	116 035.00	
A0062	F4200 Rotorspreader 4.2 m³	4,2 m³	2,5–3	1 120	45	129 900.00	149 385.00	
<b>LIMESREADER</b>								
A0064	F400 Mounted Limespreader 400 €	400 €	2,4	380	30–45	60 400.00	69 460.00	
A0065	F500 Trailed Limespreader 500 €	500 €	3,0	480	30–45	53 000.00	60 950.00	

ROTAVATORS								
Part No	Description (Model "+" Includes Offset)	Working Width (m)	Working Depth (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price		
						Excl VAT (R)	Inc VAT (R)	
<b>ROTAVATORS</b>								
A0072	F125 Rotavator +	1,28	300	549	35–60	92 700.00	106 605.00	
A0073	F150 Rotavator +	1,53	300	596	42–60	96 100.00	110 515.00	
A0074	F175 Rotavator +	1,78	300	645	45–60	99 200.00	114 080.00	
A0075	F200 Rotavator +	2,03	300	698	48–60	103 300.00	118 795.00	
<b>BEDFORMERS</b>								
A0076	F125 Bedformer	1,28	-	120	-	25 500.00	29 325.00	
A0077	F150 Bedformer	1,53	-	130	-	25 600.00	29 440.00	
A0078	F175 Bedformer	1,78	-	140	-	25 700.00	29 555.00	
A0079	F200 Bedformer	2,03	-	150	-	25 800.00	29 670.00	
A0087	Bedformer and centre form for the F175 Rotavator	1,78	-	196	-	32 500.00	37 375.00	
A0088	Bedformer and centre form for the F200 Rotavator	2,03	-	206	-	33 300.00	38 295.00	

MOWERS								
Part No	Description Model ("+" Includes Offset)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
<b>ROLLERMOWERS</b>								
<b>LIGHT-DUTY</b>								
A0002	F25/90RM Rollermower	3	0,9	0–100	185	10–25	24 900.00 *	28 635.00
A0004	F25/120RM Rollermower	4	1,2	0–100	238	15–25	28 600.00 *	32 890.00
<b>MEDIUM-DUTY</b>								
A0012	F40/120RM Rollermower +	4	1,2	0–100	345	15–40	34 100.00	39 215.00
A0014	F40/150RM Rollermower +	4	1,5	0–100	472	35–40	41 600.00	47 840.00
<b>HEAVY-DUTY</b>								
A0022	F50/150RM Rollermower +	4	1,5	0–100	493	40–50	51 100.00	58 765.00
A0024	F50/180RM Rollermower +	4	1,8	0–100	595	40–60	56 200.00	64 630.00
<b>GRASSMULCHER™</b>								
<b>LIGHT-DUTY</b>								
A0009	F25/120GM Grassmulcher™	4	1,2	10–100	309	15–25	35 000.00 *	40 250.00
<b>MEDIUM-DUTY</b>								
A0094	F40/150GM Grassmulcher™	4	1,5	10–100	475	35–50	44 200.00	50 830.00
<b>HEAVY-DUTY</b>								
A0048	F50/180GM Grassmulcher™	4	1,8	10–100	650	40–60	58 800.00	67 620.00
<b>BLOWERMOWER™</b>								
<b>LIGHT-DUTY</b>								
A0081	F25/90BM Blowermower™ with grass bag	4	0,9	0–100	217	10–25	30 000.00 *	34 500.00
A0092	F25/90BM Blowermower™ without grass bag frame	4	0,9	0–100	197	10–25	26 900.00 *	30 935.00
<b>MEDIUM-DUTY</b>								
A0085	F40/120BM Blowermower™ with grass bag	4	1,2	0–100	359	25–50	39 800.00 *	45 770.00
A0089	F40/120BM Blowermower™ without grass bag frame	4	1,2	0–100	338	25–50	36 400.00 *	41 860.00
A0090	F40/150BM Blowermower™ with grass bag	4	1,5	0–100	471	25–50	47 500.00 *	54 625.00
A0091	F40/150BM Blowermower™ without grass bag frame	4	1,5	0–100	451	25–50	44 000.00 *	50 600.00
<b>HEAVY-DUTY</b>								
A0025	F50/150BM Blowermower™ with grass bag	4	1,5	0–100	560	35–60	59 900.00	68 885.00
A0093	F50/150BM Blowermower™ without grass bag frame	4	1,5	0–100	540	35–60	57 200.00	65 780.00

\* Implement excludes a slip-clutch

SPECIALISED MOWERS								
Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
<b>ROTAGANG®</b>								
A0054	Rotagang® incl carrier frame	12	1,75	10-50	421	25-40	99 800.00 *	114 770.00
<b>FINISHING MOWER</b>								
A0100	F210 TurfPro Finishg Mower	12	2,1	0-60	470	35-50	85 000.00 *	97 750.00

FLAIL IMPLEMENTS								
Part No	Description Model (Includes Hydraulic Side Shift)	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
A0102	Flail Cutter F150	42/14	1 500	0-100	615	35-50	97 200.00	111 780.00
A0103	Flail Cutter F170	48/16	1 700	0-100	651	35-50	101 600.00	116 840.00
A0105	Flail Cutter F210	60/20	2 100	0-100	717	40-60	110 900.00	127 535.00
A0106	Flail Cutter F230	66/22	2 300	0-100	751	40-60	117 900.00	135 585.00



SLASHERS								
Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
L0001	L100 Slasher	4	1,0	15-90	169	10-30	21 900.00 *	25 185.00
L0002	L125 Slasher	4	1,25	15-90	200	25-45	22 400.00 *	25 760.00
L0004	L150 Slasher	4	1,5	15-90	292	30-55	28 100.00	32 315.00
L0005	L180 Slasher	2	1,8	15-90	334	30-55	33 400.00	38 410.00
*Implement excludes a slip-clutch								

MOWERS								
Part No	Description	Blades	Cutting Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
L0003	L125R Rollermower	4	1,25	15-65	247	25-45	24 600.00 *	28 290.00
*Implement excludes a slip-clutch								



MOWERS						
Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S0007	<b>Groundkeeper SmartCut GH 1800</b> Mowing and/or scarifying with debris collection. Able to collect without cutting. Immediate and even spread of cuttings by using the built-in mulcher lever. Available in a variety of working widths for carrying behind almost any type of tractor.	1,8	470	30	240 800.00	276 920.00

ZA-X SPREADERS – Excluding Optional Extras						
Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S0001	<b>ZA-XW 502 Twin disc spreader (500 €)</b> Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. <b>Max Pay Load 1 000 kg - Cat I / II</b>	10–18	194	35	77 650.00	89 297.50
S0002	<b>ZA-X 602 Twin disc spreader (600 €)</b> Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. <b>Max Pay Load 1 000 kg - Cat II</b>	10–18	212	37	80 600.00	92 690.00
S0012	<b>ZA-X 902 Twin disc spreader (900 €)</b> Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, guard tube and complete calibration kit. <b>Max Pay Load 1800 kg - Cat II</b>	10–18	248	44	84 000.00	96 600.00

ZA-X OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
P931690	Row spreading attachment (2-Row) 2 - 5m working width	ZA-XW 502, ZA-X 602, 902	2–5	10	9 050.00	10 407.50
P923840	Hopper extension s 200 €	ZA-XW 502	-	23	6 400.00	7 360.00
P924390	Hopper extension s 250 €	ZA-X 602	-	24	7 300.00	8 395.00
P924181	Hopper extension s 350 €	ZA-X 902	-	34	7 550.00	8 682.50
P948320	Rolling device, braked	ZA-XW 502, ZA-X 602, 902	-	11	7 900.00	9 085.00

ZA-M SPREADERS – Excluding Optional Extras						
Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price		
				Excl VAT (R)	Inc VAT (R)	
S3001	<b>ZA-M 1001 Special Twin disc spreader (1 000 €) (Excluding Discs)</b> Incl PTO shaft, hopper sieve, hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. <b>Max Pay Load 1 800 kg - Cat II</b>	301	45	90 200.00	103 730.00	
S3002	<b>ZA-M 1501 Special Twin disc spreader (1 500 €) (Excluding Discs)</b> ZA-M 1001 Special Spreader fitted with S500 € extension, Incl PTO shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. <b>Max Pay Load 1 800 kg - Cat II</b>	310	60	104 800.00	120 520.00	
S3003	<b>ZA-M 1501 Twin disc spreader (1 500 €) (Excluding Discs)</b> Incl PTO Shaft, hopper sieve, rolling device (braked), hydraulic independent shutter control for either right- or left-hand side spreading, safety set and complete calibration kit. <b>Max Pay Load 3 100 kg - Cat II</b>	324	65	126 800.00	145 820.00	

ZA-M OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
<b>MOBILE TEST RIG</b>						
P1259000	8-Tray mobile fertiliser test rig	ZA-M	-	20,2	7 500.00	8 625.00
<b>EXTENSIONS</b>						
P922782	Hopper extension s 500 €	ZA-M – All models	-	27	8 550.00	9 832.50
P935040	Hopper extension L 1000 €	ZA-M 1501	-	57	19 150.00	22 022.50
<b>DISCS</b>						
P927776	Spreader disc OM 10–16 m	ZA-M – All models	10–16	8	9 550.00	10 982.50
P927777	Spreader disc OM 18–24 m	ZA-M – All models	18–24	9	10 500.00	12 075.00
P927778	Spreader disc OM 24–36 m (Hard Alloy Coated)	ZA-M – All models	24–36	14	22 050.00	25 357.50
<b>ROLLING DEVICES</b>						
P948320	Rolling device, braked	ZA-M – All models	-	11	7 900.00	9 085.00
<b>HOPPER COVERS</b>						
P927784	Hopper Cover Folding M, Mechanical	ZA-M 1001 & 1501 Special, ZA-M 1501 In conjunction with S500 Hopper extension	-	26	12 500.00	14 375.00
P927785	Hopper Cover Folding L, Mechanical	Only in conjunction with L1000 hopper extension	-	29	13 500.00	15 525.00
<b>MUD GUARD</b>						
P935081	Mud guard safety set	ZA-M 1501	-	6	P.O.R	

ZA-V SPREADERS – Excluding Optional Extras					
Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S3005	<b>ZA-V 1700 Super Tronic ISOBUS (1 700 €) (Excluding Discs &amp; Terminal Package)</b> PTO driven spreader with automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 8-sections & auto on/off shutter control at the headland, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute. "Can be operated by Amatron 3 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II</b> ** Cat II / III Quick-Hitch Adapter – See Optional Extras	505	70	223 800.00	257 370.00
S3009	<b>ZA-V 1700 Super Profis Tronic ISOBUS (1 700 €) (Excluding Discs &amp; Terminal Package)</b> <b>NEW</b> PTO driven spreader with two weight cells for automatic online calibration. Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 8-sections & auto on/off shutter control at the headland, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute. "Can be operated by Amatron 3 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II</b> ** Cat II / III Quick-Hitch Adapter – See Optional Extras	565	70	249 500.00	286 925.00
S3006	<b>ZA-V 2000 Super Profis Hydro ISOBUS (2 000 €) (Excluding Discs &amp; Terminal Package)</b> Electro-hydraulic driven spreader with two weight cells for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (70 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for 16-sections & auto on/off shutter control at the headland. One-touch border or side spreading control, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute as well as a mechanical hopper cover. "Can be operated by Amatron 3 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II</b> ** Cat II / III Quick-Hitch Adapter – See Optional Extras	634	70	346 200.00	398 130.00

## ZA-V OPTIONAL EXTRAS

Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
<b>DISCS</b>						
P105591	V1 Spreading Vane Set 10–21 m	ZA-V – All Models	10–21	9,5	10 100.00	11 615.00
P105592	V2 Spreading Vane Set 18–28 m (Hard Alloy Coated)	ZA-V – All Models	18–28	9,9	16 600.00	19 090.00
P105593	V3 Spreading Vane Set 24–36 m (Hard Alloy Coated)	ZA-V – All Models	24–36	10	22 600.00	25 990.00
<b>TERMINAL PACKAGE</b>						
P0001	ISOBUS Terminal Package Complete	ZA-V – All Models	-	10	64 000.00	73 600.00
<b>EXTENSIONS</b>						
P948293	Hopper Extension S 600 €	ZA-V – All Models	-	40	11 500.00	13 225.00
<b>HOPPER COVERS</b>						
P948575	Hopper Cover Folding s. Mechanical	ZA-V Tronic	-	32,89	18 700.00	21 505.00
<b>HITCH ADAPTER</b>						
S9102	Quick-Hitch Adapter (Cat II to Cat III / IV N-Q) Allows direct attachment of a Cat II Amazone Spreader to a tractor equipped with a Cat III / IV N quick-hitch frame. Not suitable for standard 3-point type Cat III or Cat IV tractor hitches.	** All ZA-V Models	110	Cat III / IV N-Q	16 200.00	18 630.00

## ZA-TS SPREADERS – Excluding Optional Extras

Part No	Description	Mass (kg)	Tractor (kW)	Recommended Retail Price	
				Excl VAT (R)	Inc VAT (R)
S3007	<b>ZA-TS 3200 Super Profis Hydro ISOBUS (3 200 €) (Excluding Discs &amp; Terminal Package)</b> Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependend, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 3 or customer's own ISOBUS terminal". <b>Max Pay Load 3 200 kg – Cat II</b> ** Cat II / III Quick-Hitch Adapter – See Optional Extras	765	112	480 900.00	553 035.00
S3008	<b>ZA-TS 4200 Ultra Profis Hydro ISOBUS (4 200 €) (Excluding Discs &amp; Terminal Package)</b> Electro-hydraulic driven spreader with two weight cells and tilt sensor for automatic online calibration. Only needs one single-acting spool valve with pressure-free return (80 l/min). Automatic forward speed-related spread rate control and Variable Rate Application (VRA) capabilities, GPS compatibility with most devices, which allows for infinite sections (terminal dependend, max 128 sections) & auto on/off shutter control at the headland. One-touch border or side spreading control via unique Auto-TS system, hopper sieve, ingenious on-board rolling device (braked), electric independent shutter and agitator control for either right- or left-hand side spreading, safety set, including traffic lights, mudguards, 16-tray mobile fertiliser test rig and a calibration chute, hydraulic hopper cover as well ladders on left- and right-hand. "Can be operated by Amatron 3 or customer's own ISOBUS terminal". <b>Max Pay Load 4 500 kg – Cat III</b>	820	130	531 500.00	611 225.00

ZA-TS OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
<b>DISCS</b>						
P939290	TS1 Spreading Vanes 15–24 m (Hard Alloy Coated)	ZA-TS	15–24	10,5	10 500.00	12 075.00
P939310	TS2 Spreading Vanes 21–36 m (Hard Alloy Coated)	ZA-TS	21–36	10,5	13 400.00	15 410.00
P939320	TS3 Spreading Vanes 24–54 m (Hard Alloy Coated)	ZA-TS	24–54	10,5	17 300.00	19 895.00
<b>TERMINAL PACKAGE</b>						
P0001	ISOBUS Terminal Package Complete	ZA-TS	-	10,5	64 000.00	73 600.00
<b>HITCH ADAPTER</b>						
S9102	Quick-Hitch Adapter (Cat II to Cat III / IV N-Q) Allows direct attachment of a Cat II Amazone Spreader to a tractor equipped with a Cat III / IV N quick-hitch frame. Not suitable for standard 3-point type Cat III or Cat IV tractor hitches.	** ZA-TS 3200	110	Cat III / IV N-Q	16 200.00	18 630.00

ZG-TS SPREADERS – Excluding Optional Extras						
Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1063	<b>ZG-TS 7501 ProfisPro Spreader (7 500 €)</b>	15–54	± 2 500	60	P.O.R	
S1064	<b>ZG-TS 10001 ProfisPro Spreader (10 000 €)</b>	15–54	± 3 500	75	P.O.R	

ZG-TS OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
<b>DISCS</b>						
P939290	TS1 Spreading Vanes 15–24 m (Hard Alloy Coated)	ZG-TS	15–24	10,5	10 500.00	12 075.00
P939310	TS2 Spreading Vanes 21–36 m (Hard Alloy Coated)	ZG-TS	21–36	10,5	13 400.00	15 410.00
P939320	TS3 Spreading Vanes 24–54 m (Hard Alloy Coated)	ZG-TS	24–54	10,5	17 300.00	19 895.00
<b>TERMINAL PACKAGE</b>						
P0001	ISOBUS Terminal Package Complete	ZG-TS	-	10,5	64 000.00	73 600.00

ZG-B SPREADERS – Excluding Optional Extras						
Part No	Description	Working Width (m)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
S1056	<b>ZG-B 5500 Drive Spreader (5 500 €) non-ISOBUS</b>	10–36	± 2 000	60	P.O.R	
S1060	<b>ZG-B 8200 Drive Spreader (8 200 €) non-ISOBUS</b>	10–36	± 2 200	75	P.O.R	

ZG-B OPTIONAL EXTRAS						
Part No	Description	Compatible Models	Working Width (m)	Mass (kg)	Recommended Retail Price	
					Excl VAT (R)	Incl VAT (R)
<b>DISCS</b>						
P927777	Spreading disc OM 18–24 m	ZG-B Drive	18–24	13	10 500.00	12 075.00
P927778	Spreading disc OM 24–36 m (Hard Alloy Coated)	ZG-B Drive	24–36	15	22 050.00	25 357.50
P950749	Spreading Disc for Lime ZG-B Drive up to 12 m	ZG-B Drive	up to 12	20	P.O.R	P.O.R

SPRAYERS						
UF – MOUNTED FIELD SPRAYERS						
Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1046	<b>UF 901</b> Sprayer	1 050	12–28	from 60	P.O.R	
S1047	<b>UF 1201</b> Sprayer	1 350	12–28	from 65	P.O.R	
S1048	<b>UF 1501</b> Sprayer	1 720	12–28	from 90	P.O.R	
S1049	<b>UF 1801</b> Sprayer	1 980	12–28	from 95	P.O.R	

UF OPTIONAL EXTRAS						
Part No	Description	Capacity (ℓ)	Empty Mass (kg)	Compatible Models	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
YFT1001	<b>FT 1001 – In combination with the FT 1001 front tank system it increases the capacity of the UF mounted field sprayers by 1000</b>	1 000	217	All UF models	P.O.R	
	Q-Plus sprayer boom (available in 12/12.5 & 15 m)			All UF models	P.O.R	
	Super S-boom (available in 15, 16, 18, 20, 21, 24, 27 & 28 m)			All UF models	P.O.R	
	GPS compatible & "GPS-Switch Ready"			Some UF models (Only with AMATRON 3)	P.O.R	
	ISOBUS			All UF models	P.O.R	
	Distance control (sonars)			Some UF models (Only Super S-boom, AMATRON 3 / ISOBUS)	P.O.R	

UG – TRAILED FIELD SPRAYERS						
Part No	Description	Standard Capacity (ℓ)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1050	<b>UG 2200</b> Sprayer	2 400	15–28	from 65	P.O.R	
S1051	<b>UG 3000</b> Sprayer	3 200	15–28	from 75	P.O.R	



UG OPTIONAL EXTRAS					
Part No	Description	Compatible Models	Recommended Retail Price		
			Excl VAT (R)	Inc VAT (R)	
	Super S-boom (available in 15, 16, 18, 20, 21, 24 m)	All UG models			P.O.R
	GPS compatible & "GPS-Switch Ready"	Some UG models (Only with AMATRON 3)			P.O.R
	ISOBUS	All UG models			P.O.R
	Distance control (sonars)	Some UG models (Only with AMATRON 3 / ISOBUS)			P.O.R
	Drawbar steering	All UG models			P.O.R

UX – TRAILED FIELD SPRAYERS						
Part No	Description	Standard Capacity (€)	Working Width (m)	Tractor (kW)	Recommended Retail Price	
					Excl VAT (R)	Inc VAT (R)
S1052	<b>UX 3200 Special</b>	3 600	21–30	from 75		P.O.R
S1053	<b>UX 4200 Special</b>	4 600	21–30	from 85		P.O.R
S1057	<b>UX 4201 Super</b>	4 600	21–40	from 85		P.O.R
S1054	<b>UX 5201 Super</b>	5 600	21–40	from 95		P.O.R
S1055	<b>UX 6201 Super</b>	6 600	21–40	from 110		P.O.R
S1063	<b>UX 11200 Super</b>	12 000	21–40	from 160		P.O.R

UX OPTIONAL EXTRAS					
Part No	Description	Compatible Models	Recommended Retail Price		
			Excl VAT (R)	Inc VAT (R)	
	Super L-boom (available in 21, 24, 27, 28, 30, 32, 33, 36, 39 & 40 m)	Some UX models			P.O.R
	GPS compatible & "GPS-Switch Ready"	Some UX models (Only with AMATRON 3 / ISOBUS)			P.O.R
	ISOBUS	All UX models			P.O.R
	Distance control (sonars)	Only with AMATRON 3 / ISOBUS			P.O.R
	Drawbar or Axle Steering	Some UX models			P.O.R
	Hydropneumatic suspension	Some UX models (Only with AMATRON 3 / ISOBUS)			P.O.R

SOIL TILLAGE									
DISC HARROWS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2015	<b>Catros 3003+ Special</b> Compact Disc Harrow - mounted, rigid, tandem rollers, mechanical depth adjustment, additional weight package	-	2 x 12	3,0	50–150	1 243	min 66	322 300.00	370 645.00
S2016	<b>Catros 4003+ Special</b> Compact Disc Harrow - mounted, rigid, tandem rollers, mechanical depth adjustment, additional weight package	-	2 x 16	4,0	50–150	1 673	min 91	397 500.00	457 125.00
S2005	<b>Catros+ 6001-2 TS</b> Compact Disc Harrow - trailed, hydraulic foldable, bogey axle, tandem rollers, hydraulic depth adjustment, additional weight package	-	2 x 24	6,0	50–150	4 830	min 130	866 400.00	996 360.00

ROTARY HARROWS									
Part No	Description	Number of Tines	Number of Rotors	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2004	<b>KE 2500 Special</b> Rotary Harrow - with tooth packer roller	-	8	2,5	max 200	918	40–102		P.O.R
S2001	<b>KE 3000 Super</b> Rotary Harrow - with tooth packer roller	-	10	3,0	max 200	1 127	59–131		P.O.R
S2003	<b>KE 4000 Super</b> Rotary Harrow - with tooth packer roller	-	14	4,0	max 200	1 308	66–131		P.O.R

COMBINATION – TRAILED CULTIVATOR & DISC HARROW									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2014	<b>Cenius 5003-2 TX</b> Mulch cultivator - semi-trailed, Cat III, hydraulic foldable, tandem roller, single support wheels, C-Mix-3 super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, tractive force increase system (1 500kg), C-Mix 80 mm HD inversion shares	17	16	5,0	80–300	5 088	min 200		P.O.R.
<b>NEW</b> S2017	<b>Ceus</b> Compact disc harrow and tine cultivator combination - semi-trailed, Cat IV, hydraulic foldable, tandem roller, single support wheels, C-Mix super tines with spring overload safety device, 600 kg trip force, hydraulic depth adjustment, mechanical leveller disc adjustment, C-Mix 80 mm HD inversion 3-shares	15	2 x 24	6	80–300	8 970	min 220		P.O.R.



PHNEUMATIC SEED DRILLS									
Part No	Description	Number of Tines	Number of Discs	Working Width (m)	Working Depth (mm)	Mass Without Rollers (kg)	Tractor (kW)	Recommended Retail Price	
								Excl VAT (R)	Inc VAT (R)
S2011	<b>GreenDrill 200-E Controller</b> Pneumatic seed drill for catch crops and grass seed with 200 ℓ hopper, electric metering drive, electric fan drive, on board computer, only in conjunction with Catros+ Special	-	-	3 & 4	-	-	-	112 700.00	129 605.00
S2013	<b>GreenDrill 500-H – 5.2 Speed Controller</b> Pneumatic seed drill for catch crops and grass seed with 500 ℓ hopper, electric metering drive, hydraulic fan drive, on board computer, only in conjunction with Catros+ 2-TS Remember: Choose speed source option (PNL555 or PZP061)	-	-	5; 6 & 7	-	-	-	233 500.00	268 525.00

\*Price excludes installation

SOIL TILLAGE OPTIONAL EXTRAS				
Part No	Description	Compatible Models	Recommended Retail Price	
			Excl VAT (R)	Inc VAT (R)
	Cage roller	KE models, Catros+, Ceniis & Ceus	P.O.R	
	Tooth packer roller	KE models, Catros+, Ceniis & Ceus	P.O.R	
	Wedge ring roller	KE models, Catros+, Ceniis & Ceus	P.O.R	
	Tandem	Catros+, Ceniis & Ceus	P.O.R	
	Double U roller	Catros+, Ceniis & Ceus	P.O.R	
	Knife ring roller	Catros+, Ceniis & Ceus	P.O.R	
PNL555	Signal cable 7pin (DIN9684)	GreenDrill	3 100.00	3 565.00
PZP061	Radar sensor set GD with wiring harness with lift unit sensor and splitter	GreenDrill	29 600.00	34 040.00



SHREDDERS								
Part No	Description	Flail Hammers	Working Width (m)	Cutting Height (mm)	Mass (kg)	Tractor (kW)	Recommended Retail Price	
							Excl VAT (R)	Inc VAT (R)
C0021	FLV-150 Shredder	12	1,5	20–120	517	22	101 100.00	116 265.00
C0022	FLV-175 Shredder	14	1,75	20–120	572	26	108 500.00	124 775.00
C0033	FLV-200 Shredder	16	2,0	20–120	627	29	116 800.00	134 320.00
C0037	FLV-225 Shredder	18	2,25	20–120	690	45–65	P.O.R	P.O.R

**PRICES, DESCRIPTIONS & TECHNICAL DATA ARE NOT BINDING.**

**ALL PRICES INCLUDE TRANSPORT TO THE FALCON DEALER IN SOUTH AFRICA.**

**ALL THE ABOVE MENTIONED PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE, DUE TO STOCK AVAILABILITY AND EXCHANGE RATES.**